


CATALOGUE 2026

KATALOG CATALOGO CATÁLOGO CATALOGUS



© pagidracing
www.pagidracing.com



STREET+
BY PAGID RACING



ALSO AVAILABLE:
STREET-LEGAL
BRAKE PERFORMANCE




Check out our
product portfolio

INDIVIDUAL COMPONENTS BY VEHICLE: DISC, MOUNTING BELL, BOBBIN SET




Vehicle Manufacturer	Vehicle Type	Race Application	Axle	Side	Outside Dia- meter	Thick- ness	Part Number Brake Disc	Part Number Mounting Bell	Part Number Bobbin Set	
Alfa Romeo	Giulietta TCR	Sprint	Front	Left	378	34	ED378340101		SA100120301	
				Right	378	34	ED378340201			
Alfa Romeo	Giulietta TCR	Endurance	Front	Left	378	34	ED378340701		SA100120301	
				Right	378	34	ED378340801			
Audi	RS3 LMS TCR TT Cup	Sprint	Front	Left	378	34	ED378340101	EB378120101	SA100120301	
				Right	378	34	ED378340201			
Audi	RS3 LMS TT Cup	Endurance	Front	Left	378	34	ED378340701	EB378120101	SA100120301	
				Right	378	34	ED378340801			
Cupra	Leon [Mk3] Cupra TCR	Sprint	Front	Left	378	34	ED378340101	EB378120101	SA100120301	
				Right	378	34	ED378340201			
Cupra	Leon [Mk3] Cupra TCR	Endurance	Front	Left	378	34	ED378340701	EB378120101	SA100120301	
				Right	378	34	ED378340801			
Hyundai	Hyundai i30 N Fastback V2T class	Endurance	Front	Left	362	32	ED362320301		SA100120301	
				Right	362	32	ED362320401			
Lada	Vesta Sport TCR	Sprint	Front	Left	378	34	ED378340101		SA100120301	
				Right	378	34	ED378340201			
Lada	Vesta Sport TCR	Endurance	Front	Left	378	34	ED378340701		SA100120301	
				Right	378	34	ED378340801			
Opel	Astra TCR	Sprint	Front	Left	378	34	ED378340101	EB378120201	SA100120301	
				Right	378	34	ED378340201			
Opel	Astra TCR	Endurance	Front	Left	378	34	ED378340701	EB378120201	SA100120301	
				Right	378	34	ED378340801			
Porsche	997 GT3 Cup	Sprint	Front	Left	380	32	ED380320101	EB380100101	SA100100201	
				Right	380	32	ED380320201			
Porsche	997 GT3 Cup	Endurance	Front	Left	380	32	ED380321101	EB380100101	SA100100201	
				Right	380	32	ED380321201			
Porsche	981 Cayman GT4 Clubsport	Endurance	Front	Left	380	32	ED380321301	EB380100701	SA100100201	
				Right	380	32	ED380321401			
982 Cayman GT4 Clubsport				Rear	Left	380	30	ED380300301	EB380120201	SA100120301
					Right	380	30	ED380300401		
Renault	Mégane RS TCR	Sprint	Front	Left	378	34	ED378340101		SA100120301	
				Right	378	34	ED378340201			
Renault	Mégane RS TCR	Endurance	Front	Left	378	34	ED378340701		SA100120301	
				Right	378	34	ED378340801			
Volkswagen	Golf GTI TCR	Sprint	Front	Left	378	34	ED378340101	EB378120101	SA100120301	
				Right	378	34	ED378340201			
Volkswagen	Golf GTI TCR	Endurance	Front	Left	378	34	ED378340701	EB378120101	SA100120301	
				Right	378	34	ED378340801			



AVAILABLE INDIVIDUAL COMPONENTS: VENTILATED BRAKE DISCS

A: Thickness **B:** Inside Diameter **C:** Hat Interface PCD **D:** Max. Pad Depth **E:** Vent Opening


Outside Diameter	Thickness	Inside Diameter	Hat Interface PCD	Mounting Side	According Bobbin Set	Max. Pad Depth	Vent Opening	Weight Kg.	Part Number Brake Disc
362	32	251	12 x 231	Left	SA100120301	54	15	7.81	ED362320301
				Right					ED362320401
378	34	268	12 x 247.65	Left	SA100120301	54	19	7.44	ED378340101
				Right					ED378340201
378	34	268	12 x 247.65	Left	SA100120301	54	17	8.15	ED378340701
				Right					ED378340801
380	30	280	12 x 260.00	Left	SA100120301	50	17	6.25	ED380300301
				Right					ED380300401
380	32	250	10 x 228.60	Left	SA100100201	65	15	9.38	ED380321101
				Right					ED380321201
380	32	250	10 x 228.60	Left	SA100100201	65	17	8.63	ED380320101
				Right					ED380320201



AVAILABLE INDIVIDUAL COMPONENTS: MOUNTING BELL

A: Disc Interface PCD **B:** Stud Bolt Circle **C:** Center Hole Diameter **D:** Offset **E:** Face Thickness

Vehicle Manufacturer	Vehicle Type	Axle	Disc Interface PCD	Stud Bolt Circle	Center Hole Diameter	Offset	Face Thickness	Part Number Mounting Bell
Audi	RS3 LMS TCR	Front	12 x 247.65	5 x 112	65	8.1	6	EB378120101
		Rear						
Audi	TT Cup	Front	12 x 247.65	5 x 112	65	8.1	6	EB378120101
		Rear						
Cupra	Leon [Mk3] Cupra TCR	Front	12 x 247.65	5 x 112	65	8.1	6	EB378120101
		Rear						
Volkswagen	Golf GTI TCR	Front	12 x 247.65	5 x 112	65	8.1	6	EB378120101
		Rear						



AVAILABLE INDIVIDUAL COMPONENTS: BOBBIN SET

Quantity	A	B	C	D	Brake Disc Flange Thickness	Part Number Bobbin Set
10	11	6.4	9.45	6.55	6.25	SA100100201
12	11	6.4	9.45	6.55	6.25	SA100120301

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
AC			
Cobra 428 7.0	67 - 74	8042	8041
Cobra 7.0	64 - 66	8042	8041
Greyhound	64 - 68	1195	4508
Alfa Romeo			
156 2.0 16V	95 - 98	1295	
4C	13 -	8023	
Berlina 1.75 2.0	68 - 77	4501	4304
Giulia 1.3/1.6	66 - 76	4304	4122
Giulia 2.9 [952] Quadrifoglio	15 -	8005	
Giulia 2.9 [952] Quadrifoglio [ceramic brakes]	15 -	8253	
Giulietta TCR	18 -	1904	1363
GTA 1600	65 - 75	8056	
Sprint GT 1600	63 - 66	4501	4122
Alpina			
B3 [E90/E92]	07. Okt	4931	4933
B5 F1 X	15 -	8200	4932
B6 Biturbo [F12/F13]	12 -	4930	4932
B6 GT3 [race car]	13 -	8092	8093
Alpine			
A110	17 -	8023	
A110 Cup	17 -	2488	2704
A110 GT4	17 -	2488	2704
Aston Martin			
DB11 [cast iron brakes]	16 - 23	8081	2487
DB4	59 - 65	8070	8070
DB4 GT	60 - 63	8071	
DB5 / DB6 / DBS	63 - 70	8042	8041
DB9	Apr 16	2487	1408
DB9 [ceramic brakes]	Apr 16	4941	4943
DBS V8	69 - 74	1191	8041
Vanquish	03. Aug	1287	1408
Vanquish [ceramic brakes]	Dez 18	4941	4943
Vantage [cast iron brakes] street car	18 -	8081	2487
Vantage V12 GT3 [race car]	13 - 14	8087	1674
Vantage V12 GT3 [race car] Alcon caliper	18 -	8100	2704

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Vantage V12 GT3 [race car] endurance	15 - 17	8100	2704
Vantage V12 GT3 [race car] sprint	15 - 17	8087	1674
Vantage V12S [ceramic brake]	13 -	4941	4943
Vantage V8 GT4 ProDrive [race car] 6 piston front	Nov 17	8087	1674
Vantage V8 GT4 ProDrive [race car] 6 piston front, larger rear caliper	Nov 17	8087	1619
Vantage V8 GT4 ProDrive [race car] Alcon caliper	18 -	1539	1607
Vantage V8 GT4 ProDrive [race car] stock OE caliper	12 -	2487	1408
Vantage V8 GTE [race car]	Dez 17	8100	2704
Vantage V8 GTE [race car] Alcon caliper	18 -	8100	2704
Audi			
100	68 - 74	4304	4304
50	74 - 79	4304	
60/75	66 - 72	4304	
80 2.2 Quattro S2	90 - 96	1276	
A1 2.0 TFSI Quattro	12 -	8001	4936
A3 1.8 20V	96 - 03		1158
A3 1.8 20V Turbo	96 - 99	1678	1158
A3 2.0 Quattro [8PA]	Apr 13		8046
A3 2.0 Quattro [8PA]	Apr 13		8046
A3 3.2 Quattro	Jun 13	8001	8046
A4 & A5 & A6 & A7 [several]	08 -	8096	8039
A4 & A6 [several]		8064	1158
A4 1.8 20V	95 - 00	1678	1158
A8 D3 [ceramic brakes]	02. Sep	4907	8039
Q5 [8R]	Aug 16	8096	8039
R8 4.2 and 5.2 FSI quattro	Jul 15	2931	1287
R8 4.2 and 5.2 FSI quattro [ceramic brakes]	Sep 15	4907	1287
R8 5.2 FSI quattro (2nd generation)	15 -	4907	1287
R8 5.2 FSI quattro (2nd generation) [ceramic brakes]	15 -	4907	1287
R8 5.2 RWS (2nd generation)	18 -	2931	1287
R8 GT4 + GT4 Cup [race car]	17 -	8101	1674
R8 LMS GT2 [race car]	20 -	8101	2704
R8 LMS GT3 [race car]	16 - 19	8100	2704
R8 LMS Ultra GT3 [race car]	Dez 15	8087	1674
RS3 LMS TCR [race car]	16 - 20	1539	1363
RS3 Sportback [8PA]	11. Dez	2487	8046
RS3 Sportback [8VA]	15 -	2931	
RS4 quattro [B7]	05. Aug	2931	8039
RS4 quattro Avant [B5]	00 - 02	2830	1158
RS5 (8TR)	Okt 15	2931	8039

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
RS6 (C5)	02. Apr	2931	8039
RS6 (C6)	08. Okt	8081	8039
RS6 (C6) [ceramic brakes front]	08. Okt	4910	8039
RS6 (C7)	13 - 18	8238	8039
RS6 (C7) [ceramic brakes]	13 - 18	8088	4938
RS6 (C8) [ceramic brakes]	2020 -	8295	
RS7 (C8) [ceramic brakes]	2020 -	8295	
RSQ8 [ceramic brakes]	2019 -	8295	
S1 Sport Quattro Rally Car	84 - 85	1270	1361
S3	99 - 01	1678	1158
S3 Quattro (disc Ø 340 mm) performance brake	14 -	8201	
S3 Quattro (disc Ø 345 mm)	06. Dez	8064	8046
S4 [B6 + B7]	04. Aug	8064	8039
S4 [B8] (disc Ø 345 mm)	Aug 15	8096	8039
S5 (disc Ø 345 mm)	Jul 17	8096	8039
S6 [ceramic brakes]	12 -	4937	4938
S7 [ceramic brakes]	12 -	4937	4938
S8	99 - 02	1842	1158
S8 [ceramic brakes]	02. Okt	4907	
TT	98 - 06	1678	1158
TT 3.2 V6 Quattro (disc Ø 288 mm)	06. Okt	8001	8046
TT 3.2 V6 Quattro (disc Ø 345 mm)	06. Okt	8064	8046
TT Cup [race car]	15 -	1539	1363
TT R32	04. Jun	2830	1158
TT RS 2.5 Quattro	Sep 14	2487	8046
TT RS 2.5 Quattro [FV3]	16 -	2931	
TT S 2.0 Quattro	Sep 14	8064	8046
Audi			
R8 LMS GT3 Evo	19 - 21	8100	2704
R8 LMS GT3 Evo II	21 -	8100	2704
RS3 LMS TCR [race car]	21 -	1539	3102
S1 EKS RX quattro [Rallycross racecar]	18 -	1616	1616
Ave-Riley			
AR2 LMP3 [race car]	17 -	2488	2488
Bentley			
Continental GT [ceramic brakes]	11 -	4937	4938
Continental GT3 [race car]	18 -	8100	2704
Mulsanne [ceramic brakes]	10 -	4937	4938

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Bentley			
Continental GT [ceramic brakes]	2018 - 2024	8295	
Bizzarini			
5300 GT	66 - 68	1191	1192
BMW			
1 Series M Coupe [E82]	Nov 13	8053	8021
120d & 130i [E81 & E87]	03. Dez	1295	8035
135i [E82 & E88]	Jul 13	8084	8085
1600 Ti/1800 Ti/TiSA	63 - 71	4304	
2002 Ti/Tii	69 - 75	4702	
3 Series [E90] M-Technic / Brembo	09 -	8084	8085
3 Series [G20, G21]: M340i, M340d, 320i - 330i M-Technik, 330e M-Technik, 316d - 330d M-Technik	19 -	8275	8276
3.0 CSL [E9]	71 - 75	4703	4122
318is - 325i [E30]	82 - 93	1544	1141
318is - 325i [E36]	90 - 98	2180	1285
320i - 325i [E46]	98 - 05	2180	1285
320i - 330i [E90]	05. Nov	8053	8035
330i [E46]	00 - 05	1295	2685
335i , 335d [E90/E91/E92]	06. Nov	8053	8051
4 Series Coupe [G22, G23, G82]: M440i, M440d, 420i - 430i M-Tech- nik, 420d - 430d M-Technik	20 -	8275	8276
507/700	56 - 65	8070	
850 [E31]	90 - 99	1427	2685
M1 [non Procar]	78 - 82	4703	4304
M1 Procar	78 - 82	1196	4304
M135i [F20 & F21]	Nov 16	4931	4933
M140i [F20]	15 - 17	4931	4933
M2 [F87]	15 - 21	4931	4933
M2 [F87] Competition	18 - 19	4934	1287
M2 [G87]	22 -	8302	4932
M2 CS Racing [Permit A 450PS]	19 - 21	8100	2704
M2 CS Racing [Permit B 365PS]	20 -	1539	1287
M2 CS Racing [Permit B 365PS]	2020	1539	1287
M235i [F22]	13 - 16	4931	4933
M235i Racing [AP front caliper]	16 -	2688	4933
M235i Racing [PFC front caliper]	14 - 15	8197	4933
M240i [F22]	15 -	4931	4933
M240i Racing [AP front caliper]	19 -	2688	4933

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Application Race Cars	Model	Year	PAGID Racing Pad Shape No.	
			Front	Rear
	M3 [E30] EVO I & II	86 - 92	1144	1285
	M3 [E36] 3.0 & 3.2	92 - 99	1295	1285
	M3 [E46] & M3 CSL	00 - 07	1295	2685
	M3 [E90 / E92]	Jul 13	8053	8021
	M3 [E92] GT4 race version	Sep 14	1538	1270
	M3 [F80]	14 - 18	4931	4933
	M3 [F80] [ceramic brakes]	14-18	4934	1287
	M3 [G80]	2021-	8302	4932
	M3 [G80] [ceramic brakes]	2021 -	8292	
	M4 [F82]	14 - 20	4931	4933
	M4 [F82] [ceramic brakes]	14 -	4934	1287
	M4 [F82] Competition	16 -	4931	4933
	M4 [G82]	2021-	8302	4932
	M4 [G82] [ceramic brakes]	2021 -	8292	
	M4 GT3	2021-	2564	1674
	M4 GT4 [F82] [race car]	17 - 21	2019	1674
	M4 GT4 [G82] [race car]	22 -	2560	1674
	M5 [E34]	88 - 97	1295	1285
	M5 [E39]	98 - 03	2683	2685
	M5 [E60]	04. Nov	8019	8021
	M5 [F10]	Nov 16	4934	4932
	M5 [F10] [ceramic brakes]	Nov 16	4935	4932
	M5 [F90] [ceramic brakes]	2017 - 2023	8292	
	M6 [E63 / E64]	06. Dez	8019	8021
	M6 [F13]	Dez 18	4934	4932
	M6 [F13] [ceramic brakes]	12 -	4935	4932
	M6 GT3 [race car]	16 -	2019	1674
	M6 GTLM [race car]	16 - 17	2019	1674
	M8 [G14]	2018 -	8288	
	M8 [G14] [ceramic brakes]	2018 -	8292	
	M8 GTE [race car]	18 -	8100	2704
	Mini Cooper	02. Jun	2959	
	Mini John Cooper Works [Brembo brakes] on request	15 -		
	Z1	88 - 91	1544	1285
	Z3 M Coupe [E36]	98 - 03	1295	1285
	Z3 M Roadster 3.2i	97 - 03	1295	1285
	Z4	05. Sep	2180	1285
	Z4 GT3 [race car]	13 - 15	2557	1270
	Z4 M Coupe	06. Sep	1295	2685
	Z4 Roadster [G29]: M40i, sDrive 20i-30i M-Technik	19 -	8275	8276
	Z8 4.9	00 - 03	2830	2685

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
M5 [F90]	2017 - 2023	8288	
BRP Can Am			
Maverick X3	17 -	6005	6005
Cadillac			
CTS-V (4 piston front caliper)	03. Sep	2487	1408
CTS-V (6 piston front caliper)	Okt 14	8081	1408
Caterham			
Seven Range	97 -	3102	1163
SP/300.R	12 -	4349	4349
Stock AP up-grade	97 -	1265	1363
Chevrolet			
Callaway Z06.R GT3 [race car]	16 -	2017	2704
Camaro GT4 R [race car]	17 -	8100	8208
Camaro SS [Gen 5]	Sep 15	2487	1408
Camaro SS [Gen 6] 4 Piston Brembo caliper	16 -	2487	8208
Camaro SS [Gen 6] 6 Piston Brembo caliper - upgrade kit	16 -	8081	8208
Camaro SS 1LE [Gen 6] (6 piston Brembo)	16 -	8081	8208
Camaro Z/28w/ 4 wheel disc	67 - 68	8057	8057
Camaro Z28 [Gen 5] [ceramic brakes]	15 - 17	8091	4906
Camaro ZL1 [Gen 5]	Dez 15	8081	1408
Camaro ZL1 and ZL1 1LE [Gen 6]	16 -	8253	1408
Cobalt SS Turbocharged	08. Okt	8023	
Corvette C32 Stingray	63 - 82	8057	8057
Corvette C5 & C6 base	Mai 13	2213USA	
Corvette C5 base, Z06	97 - 04	2213USA	
Corvette C6 Brembo [ceramic brakes]	Sep 13	8091	4906
Corvette C6 Brembo 6 piston non ceramic	Sep 13	8091	2487
Corvette C6 Grand Sport [multi pad system]	Okt 13	8240USA front	8240USA rear
Corvette C6 Z06 [multi pad system]	Jun 13	8240USA front	8240USA rear
Corvette C7 base	13 - 20	2487	8208
Corvette C7 GT3 [Callaway Race Car]	15 -	2017	1674
Corvette C7 Z06 [ceramic brakes]	15 -	8091	4906
Corvette C7 Z06 [iron brakes]	15 -	8081	8208
Corvette C7 Z51	14 -	2487	8208
Corvette C7.R GTE [Race Car]	14 -	2558	1813
Corvette C8 Z51	20 -	8278	8279
GM Intermediate D52, several models		1594USA	
GM Metric D154, several models		1595USA	

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Citroën			
C3 N5	18 -	1616	1616
C3 R5	18 -	1595	1595
DS3 N5 spec. 2016	16 - 18	1361	1361
DS3 N5 spec. 2017	17 - 18	1616	1616
DS3 R1	15 -	8212	
DS3 R3 Tarmac Rally	15 -	1595	3102
DS3 R5 Tarmac Rally	15 -	1595	1595
Saxo 1.6 VTS (Cup)	96 - 04	2388	1610
ZX 2.0 16V	96 - 97	1544	1610
CRG			
DD2	14-	5101	5100
Mini	14-		5101
Road Rebel KZ Shifter	14 -	5101	5100
Cupra			
Leon Competición TCR [Mk4 race car] (Alcon calipers)	20 -	1539	3102
Leon Competición TCR [race car] (Alcon calipers)	20 -	1539	3102
Leon CUPRA TCR [Mk3 race car] (AP calipers)	14 - 19	1539	1363
Leon Cupra TCR [race car] (AP calipers)	15 -	1539	1363
Dallara			
F308 (Formula F3) AP Caliper	08. Nov	8060	8060
F308 (Formula F3) Brembo Caliper	08. Nov	8049	8049
F312 (Formula F3) AP Caliper	Dez 16	8060	8060
F312 (Formula F3) Brembo Caliper	Dez 16	8049	8049
F317 (Formula F3) AP Caliper	17 -	8060	8060
F317 (Formula F3) Brembo Caliper	17 -	8049	8049
De Tomaso			
Pantera	73 - 90	1191	8041
DKW			
F12	63 - 65	4122	
Dodge			
Challenger HellCat & 392	15 -	8081	1408
Dart	65 - 72	8086	
Viper	01. Feb	1408	
Viper ACR [ceramic brakes]	14 - 17	8253	4906

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Viper Competition Coupe	03 -	1287	1287
Viper SRT GT3-R	13 - 17	8100	2704
Viper SRT TA (time attack)	14 - 17	2487	2487
Viper SRT-10	04. Aug	1287	1287
Ferrari			
206	67 - 68	8042	8041
212E Montagna	68 -	8071	8070
250 GT Berlinetta SWB	59 - 62	8071	8070
250 GT/275 GT	60 - 66	8071	8070
296 GT3 [race car]	22 -	2564	1674
308GT4/GTB/GTS 2 valve	73 - 85	4501	4304
330 GTC/GTS	66 - 68	1191	8041
348 GTB, GTS, Spider	89 - 94	1203	1203
355 Berlinetta, GTS	94 - 99	1203	1203
355 Challenge	95 - 00	1674	1674
360 all models	99 - 05	1408	1408
360 Challenge	99 - 05	1896	1595
360 Challenge Stradale [ceramic brakes]	03. Mai	8083	4906
365 GTB/ GTC	67 - 76	1191	8041
365 GTB4/Daytona	67 - 76	4703	4634
430 Challenge [ceramic brakes]		8091	4906
430 Scuderia [ceramic brakes]	07. Okt	8091	4906
456 GT	94 - 96	1427	1203
458 GTE [race car]	14 - 16	8100	2704
458 Italia [ceramic brakes]	Okt 15	8091	4906
458 Italia GT3 [race car]	13 - 16	8100	1674
458 Speciale [ceramic brakes]	13 -	4580	4581
488 [ceramic brakes]	15 -	4580	4581
488 Challenge race car [ceramic brakes]	16 -	8091	4906
488 GT3 [race car]	16 -	8101	1674
488 GTE [race car]	17 -	8100	2704
488 Pista [ceramic brakes]	18-	4580	4581
500 Super	64 - 66	8071	8070
512 BB	76 - 85	4703	4634
512 Testarossa	92 - 96	1287	1203
575M Maranello	02. Jun	1427	1203
599 GTB Fiorano	06. Dez	8091	4906
Dino 206 SP	65 -	8071	8070
Dino 246 GTB/GTS	68 - 75	4501	4304
Enzo [ceramic brakes]	02. Apr	8083	4906

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
F40 Street and race	87 - 92	1287	1287
F430 [cast iron brakes]	05. Okt	1408	1408
F430 [ceramic brakes]	05. Okt	8083	4906
F50	95 - 97	1287	1287
F512M & 550		1427	1203
F8 Tributo [ceramic brakes]	2019	4580	4581
Several ceramic brakes CCM		8091	4906

Fiat

500 1.4 Abarth [Brembo brakes]	09 -	8023	
Abarth 124 Spider	16 - 20		8077
Abarth 124 Spider [Brembo brakes]	16 -	8023	8077
Abarth 124 Spider [rally car]	17 -	1616	1616
Punto Abarth 1.4	07. Dez	8023	4940

Ford

Capri Mk1/Mk2/Mk3	72 - 87	4905	
Cortina Mk1	64 - 66	3102	
Cortina Mk2 1.6 GT/Lotus	66 - 70	8041	
Cortina Mk3/Mk4/Mk5	70 - 82	4905	
Escort Mk1 1.3	69 - 74	3102	
Escort Mk1/Mk2 2.0 RS	73 - 80	4905	
Fiesta & Puma 16V	96 - 02	4823	
Fiesta N5	17 -	1616	1616
Fiesta R2 Tarmac Rally Spec 2015	15 -	2555	
Fiesta R2 Tarmac Rally Spec 2016	15 -	1595	3102
Fiesta R5 Gravel Rally	15 -	1617	1617
Fiesta R5 Tarmac Rally	15 -	1616	1616
Fiesta VII ST	17 -		
Focus II 2.5RS	09. Nov	8096	
Ford GT (second generation) ceramic brakes	17 -	8253	2487
GT	04. Jun	2487	2487
GT 40	64 - 68	1195	4508
Mustang	68 - 73	8086	
Mustang (Saleen S281 Extreme)	07. Jul	1903	
Mustang Boss 302	Dez 13	2487	
Mustang Boss 302S	13 -	1674	
Mustang FP350S (race car by FORD Performance) AP brakes	18 -	1904	2126
Mustang GT [4 piston Brembo]	Nov 14	2487	
Mustang GT [performance package - 6 piston Brembo / 15" discs]	15 -	8203	8204
Mustang Mk1/T5/289 GT	65 - 67	8086	

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Mustang Shelby GT350 [6 piston Brembo caliper / 15.5" disc]	15 -	8239	8208
Mustang Shelby GT500 [4 piston Brembo caliper / 15" disc]	Jul 14	2487	
Sierra Cosworth Mk2 (GBC, GBG)	87 - 93		1163
Ginetta			
G15	67 - 73	1151	
G4	61 - 69	3102	
G55 GT3 [race car] with PFC brakes		4923	8093
G55 GT4 [race car]		1539	1595
LMP3 [race car]	15 -	2488	2488
Glas			
2600 GT/3000 GT	65 - 69	4501	4122
G/04 Type	63 - 69	4122	4122
Honda (Acura)			
Accord Type R	97 - 03	2623	1158
Civic Type R [Brembo brakes] IX and X generation	15 -	2487	
Civic Type R/ S2000/RSX	99 - 05	8010	
Civic Type-R TCR [race car]	18 -	1539	1363
Integra Type R DC2	96 - 01	2623	
NSX	90 - 05	2623	
NSX GT3 [race car]	17 -	2017	2704
Huffaker			
Genie MK VIII	63	1192	1192
Hyundai			
Genesis Coupe 3.8 track	Okt 16	2487	1587
i20 N	2021 -	7036	
i20 N5 Spec. 2017	17 -	1616	1616
i20 R5 [Tarmac & Gravel]	16 -	1616	1616
i30 N	18 -	7034	7035
i30 N TCR race car [Brembo caliper]	17 -	8087	4304
Veloster N	18 -	7034	7035
Veloster N TCR	18 -	8087	4304
Iso			
Grifo/Fidia/Rivolta	68 - 74	1191	8041
Jaguar			
Daimler XK 150	58 - 61	8070	8070

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
E-Type 3.8/4.2	62 - 68	8070	8070
E-Type 4.2/5.3	69 - 75	8042	8041
F Type	14 -	8019	
Mk1/Mk2	55 - 67	8070	8070
Mk9/Mk10 3.8/4.2	58 - 66	8071	8070

Jensen

CV8/541R/541S/Interceptor	59 - 66	8070	8070
FF/Interceptor/SP V8	66 - 76	8042	8041
Healey/Healey GT	72 - 76	3190	

Kart Republic

DD2	20-	5106	5105
KZ Shifter	20-	5106	5105
Minikart	20-		5106
OK	20-		5104

KIA

Cee'd TCR	17 -	1539	1363
Pro Ceed 1.6 GT	13 -	7034	7035
Stinger 3.3 T-GDI V6 [4 piston Brembo]	18-	2487	

KTM

GTX	2020 -	8233	1270
X-Bow	08 -	1408	1587
X-Bow GT4	15 -	8222	1674

Lada

Vesta Sport TCR [race car]	18 -	1539	1363
----------------------------	------	------	------

Lamborghini

350 GT / 400 GT / Miura	64 - 71	1191	8041
Aventador LP700-4 [ceramic brakes]	11 -	4937	4906
Countach	74 - 91	4703	4304
Diablo [Brembo brakes]	92 - 99	1287	1287
Gallardo	Apr 13	2931	1287
Gallardo [ceramic brakes]	Apr 13	4907	1287
Gallardo GT3 [race car]	14 - 15	2488	1674
Gallardo LP 600 GT3 [race car]	13 - 15	8087	1674
Huracán [iron brakes]	14 -	2931	1287

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Huracán and Performance [ceramic brakes]	14 -	4907	1287
Huracán GT3 [race car]	15 -	8101	1674
Huracán Trofeo [race car]	15 -	8101	1674
Murciélago [non ceramic]	01. Okt	1287	1287
Several ceramic brakes		4907	4906
Urraco	74 - 81	4703	3102
Urus [ceramic brakes]	2018 - 2024	8295	

Lancia

Delta 2.0 HF Int.16V Evo	91 - 94	1408	1158
Fulvia	63 - 69	8070	8070
Stratos	74 - 75	4501	4304
Stratos HF Group N4 Rally	74 - 76	1270	1269

Lexus

IS-F	08. Nov	8005	
RC F GT3	17 -	2560	1674

Ligier

JS 2R (GT car, Brembo 6 piston front caliper)	19 -	8061	1287
JS P3 (Onroack) LMP3	17 -	8087	8087
JS P320 LMP3	20 -	8087	8087

Lotus

23	62 - 66	8032	8032
3-Eleven 430	15 -	4345	4345
Elan	66 - 74	3102	
Elise and Club Racer	96 -	2593	1682
Esprit	75 - 86	4507	
Esprit Turbo	94 - 96	1408	1408
Evora 3.5 400	15 -	4345	4345
Evora 3.5 and 3.5S	Sep 16	4345	8214
Exige	03 -	2593	1682
Exige Sport Cup	06 -	4349	1682
Exige V6 Sport 350	16 -	4345	8214
Exige V6 Sport 360 Cup	15 -	4349	1682
Seven/Super 7	68 - 74	3102	

Lynk & Co

03 TCR	19 -	1539	1363
--------	------	------	------

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Maranello			
DD2	14-	5101	5100
KZ shifter V11		14 -	5101
Minikart	14-		5101
Maserati			
3500 GT	61 - 64	1191	8041
BiTurbo 2.5 & 2.8	94 - 99	2683	2685
Ghibli (M157) [4 piston Brembo caliper / disc ø 345mm]	13 -	2487	
Ghibli (M157) [6 piston Brembo caliper / disc ø 360mm]	13 -	8005	1408
Ghibli/Indy	68 - 75	1191	8041
Grand Turismo	07 -	8005	1408
Mistral	64 - 69	1191	8041
Sebring	63 - 69	1191	8041
Spyder 4.2 & Coupe 3.2	02. Jul	1427	1203
Trofeo GT4	16 -	8087	1283
Trofeo MC	13 -	8087	1283
Mazda			
Mazdaspeed3	Jul 13	8064	
Miata 1.8 NB (spec Miata)	94 - 00	8127USA	8129USA
MX-5 Miata Global Cup Car	16 -	8023	8077
MX-5 Miata NC	Jun 15	8082	8077
MX-5 Miata ND	16 -	3830USA	8077
MX-5 Miata ND [Brembo brakes]	16 -	8023	8077
McLaren			
570S GT4 [race car] (wider front caliper)	18 -	8261	4345
570S GT4 [race car] Alcon calipers	18 -	1539	1607
600LT [PAGID RBD2.0 Kit]	18 -	8283	8284
620R [ceramic brakes]	20	8269	8270
720S [PAGID RBD2.0 Kit]	17 -	8283	8284
720S Spider [PAGID RBD2.0 Kit]	19 -	8283	8284
765 LT	20 -		8270
Artura [ceramic brakes]	21 -	8269	8270
GT	2019 -	4346	4345
McLaren			
570 S GT4 [race car] Alcon front Calipers	20 -	1539	4345
570S [ceramic brakes]	15 -	8091	8187

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
570S GT4 race car	16 - 17	4346	4345
570S, 540C, 570 GT	15 -	4346	4345
600LT [ceramic brakes]	18 -	8269	8270
650S / Spyder	14 - 17	4346	4345
650S / Spyder [ceramic brakes]	14 - 17	8091	8187
650S GT3 [race car] AP caliper	17 -	2560	1674
675LT	15 -	4346	4345
675LT [ceramic brakes]	15 -	8091	8187
720S [ceramic brakes]	17 -	8269	8270
720S GT3 [race car] Alcon calipers	19 -	8100	1674
765 LT [ceramic brakes] optional Senna Brake upgrade front	20 -		8270
F1 / shape rear on inquiry	92 - 98	1287	
GTS [ceramic brakes]	23 -	8269	8270
MP4-12C	Nov 14	4346	4345
MP4-12C [ceramic brakes]	Nov 14	8091	8187
MP4-12C GT3 [race car] Akebono caliper	13 - 15	2557	1674

Mercedes

190 2.3/2.5 16V (W201)	82 - 93	1190	1151
190-300 (W108-W115)	59 - 71	4501	4304
200-300 (W123)	76 - 85	1291	4304
250-280 (W114)	71 - 76	1291	4304
280-450 (W116)	72 - 80	1291	4304
A 45 AMG (W176)	13 -	8188	8189
AMG GT GT3 [race car]	16 -	2564	1674
AMG GT2	23 -	2567	1674
AMG GT4 [race car]	17 -	2564	1674
AMG GTR [cast iron brakes]	17 -	8238	8246
AMG GTR [ceramic brakes]	17 -	8088	8246
AMG GTS (disc Ø 360 mm) Akebono caliper	15 -	8257	8246
AMG GTS (disc Ø 390 mm) Brembo caliper	15 -	8238	8246
C 63 AMG [W204]	Aug 14	8081	8031
C 63 AMG [W205] (disc Ø 360 mm) Akebono caliper	15 -	8257	8246
C 63 AMG [W205] (disc Ø 390 mm) Brembo caliper	15 -	8238	8246
CLA 45 AMG	13 -	8188	8189
CLA Cup [race car]	12 -	1539	8189
CLK 63 AMG Black Series	06. Sep	8081	8031
CLS 63 AMG [ceramic brakes]	11 -	8088	8089
E55 AMG [W211]	02. Aug	8027	8031
GL 63 AMG 4-matic	11 -	8238	
ML 63 AMG 4-matic	11 -	8238	

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
SL 65 AMG [R230] black series	08. Dez	8027	8031
SLK 55 AMG [R171]	04. Nov	8005	8031
SLK 55 AMG [R172]	12 -	8188	8189
SLK Roadster 32 AMG [R170]	01. Apr	2830	
SLR	04. Okt	8027	8031
SLS AMG black series [ceramic brakes]	Sep 15	8088	8089
SLS AMG GT3 [race car]	13 - 15	8101	1674
Mercury			
Cougar	66 - 02	8086	
Mitsubishi			
3000 GT	92 - 96	1591	
3000 GT VR4	92 - 99	1406	
EVO X R4 / Super Gr. N Tarmac Spec.	15 -	2931	8234
Lancer Evo III	92 - 94	1591	
Lancer Evo IV	95 - 97	1591	2445
Lancer Evo IX Gravel Rally	05. Jul	8030	1283
Lancer Evo V - Evo IX	98 - 06	2487	1587
Lancer Evo X	Jul 16	2487	8069
Lancer Evo X Gravel Rally [AP Caliper]	Jul 16	1361	1749
Lancer Evo X Gravel Rally / FIA Gr. N	Jul 16	8033	1283
Lancer Evo X R4 Tarmac Rally	Jul 16	1904	1903
Lancer Evo X Tarmac Rally [Brembo Caliper]	Jul 16	8030	1283
Morgan			
4/4 1.6/2.0	66 - 86	3190	
Plus 8 3.5	66 - 73	8041	
Nissan			
240Z	70 - 73	4905	
260Z	74 - 75	4905	
280Z	75 - 78	4905	
300ZX	89 - 97	1406	
350Z Coupe Track	02. Aug	1427	1587
GT-R NISMO GT3 [race car]	15 -	2560	1270
Micra N5	17 -	1616	1616
R35 GTR	08 -	8081	1287
R35 GTR [ceramic brakes]	08 -	4945	4946
Skyline GTR	89 - 95	1427	1587

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear

Norma

M30 LMP3 [race car]	17 -	8233	8233
---------------------	------	------	------

NSU

Prinz 1000 TT/TTS	65 - 72	4122	
-------------------	---------	------	--

Opel

Adam Rallye Cup	12 -	8023	4940
Adam Rallye R2	14 -	2555	4940
Ascona A	70 - 75	4304	
Ascona B	75 - 78	4507	
Astra F 2.0 GSI 16V	91 - 98	1288	1177
Astra G OPC	99 - 03	2275	8185
Astra H OPC	05. Sep		8185
Astra J OPC	09 -		4939
Astra OPC [race car]	15 -	1539	1363
Astra TCR [race car]	16 -	1539	1363
Calibra 2.0i 16V	90 - 94	1288	1177
Commodore B	72 - 77	4501	4304
Corsa B 1.6 GSI 16V	93 - 00	1620	
Corsa D 1.6 Turbo	Jul 14		4940
GT	69 - 73	4304	
Kadett B 1.5/1.9/ Kadett C	67 - 79	4304	
Kadett C 1.9i/2.0i Rallye/GTE	73 - 79	4507	
Kadett E 2.0 GSI 16V	88 - 91	1288	1177
Speedster 2.2i 16V	00 - 05	2593	1682

Parolin

DD2	20-	5106	5105
KZ Shifter	20-	5106	5105
Minikart	20-		5106

Peerless

2.0	58 - 60	1192	
-----	---------	------	--

Peugeot

205 1.9 GTI	87 - 98	3276	1610
207 Asphalt Rally	Jun 15	8033	
208 N5 Spec. 2015	17 -	1361	1361
208 N5 Spec. 2017-2018	17 -	1616	1616

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
208 R2	12 -	1595	3102
208 R5	12 -	1595	1595
208 Rally 4	20 -	1595	1595
306 2.0 S16	93 - 98	2388	1610
308 II 1.6 GTI	13 -	8050	
308 TCR	18 -	1539	1587
309 1.9 GTI 16V	90 - 93	3276	1610
405 2.0 MI 16	92 - 95	2388	1158
406 Coupe Brembo brake	97 - 04	1408	
Piper			
GTT	68 - 74	3102	3102
Plymouth			
Duster	70 - 72	8086	
Polaris			
PRO XP	2020 -	6001	6000
PRO XP 4	2020 -	6001	6000
RS1 1000	2014 -	6000	6000
RZR XP 1000	2014 -	6000	6000
XP Turbo 4S	2019 -	6002	6000
XP Turbo S	2016 -	6001	6000
Pontiac			
GM Intermediate D52, several models		1594USA	
GM Metric D154, several models		1595USA	
GTO	05. Jun	2213USA	
Porsche			
356 1.6 C/SC	63 - 66	4304	4122
718 Boxster [982] [ceramic brakes]	16 -	4908	2405
718 Boxster 2.0 [982]	16 -	8074	2406
718 Boxster GTS [982] [ceramic brakes]	17 - 20	4908	2405
718 Boxster GTS 4.0 [982] [ceramic brakes]	20 -	4908	2405
718 Boxster S [982] [ceramic brakes]	16 -	4908	2405
718 Boxster S 2.5 [982]	16 -	8074	2406
718 Boxster T [982] [ceramic brakes]	19 -	4908	2405
718 Cayman [982C] [ceramic brakes]	16 -	4908	2405
718 Cayman 2.0 [982]	16 -	8074	2406
718 Cayman GT4 4.0 [982] [cast iron brakes]	19 -	4924	4925

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
718 Cayman GT4 4.0 [982] [ceramic brakes]	19 -	4927	4925
718 Cayman GTS [982C] [ceramic brakes]	17 - 20	4908	2405
718 Cayman GTS 4.0 [982] [cast iron brakes]	2016	4924	4918
718 Cayman GTS 4.0 [982C] [ceramic brakes]	20 -	4908	2405
718 Cayman S [982C] [ceramic brakes]	16 -	4908	2405
718 Cayman S 2.5 [982]	16 -	8074	2406
718 Cayman T [982C] [ceramic brakes]	19 -	4908	2405
718 Spyder [982] [ceramic brakes]	19 -	4908	2405
904 Carrera GTS + 904/6	63 - 65	4304	4122
908/01	68 - 71	4503	4503
911 2.0 -2.8 S-Calipers	64 - 73	4501	4304
911 2.0 M-Calipers	65 - 69	4304	4122
911 2.7 / 3.0 / 3.2 Carrera	72 - 89	4501	4304
911 3.3 SC Turbo / Turbo S	77 - 90	1203	1203
911 S	72 - 83	4503	4304
912	65 - 70	4304	4122
914/4	70 - 72	4304	4122
914/6	70 - 72	4304	4304
918 Spyder	13 - 15	4927	4925
924 2.0	76 - 83	4623	
924 2.0 Turbo / 2.5 S	79 - 88	4702	4623
928 4.5	77 - 79	4702	4623
928 5.4 GTS 32V	91 - 95	1842	1203
928 S & S4 & GT	85 - 95	1204	1203
935 Moby Dick	76 - 81	8059	8059
944 2.5 Turbo	87 - 91	1204	1203
944 2.5/2.5 S/2.7	81 - 91	4702	4623
944 2.7 & 3.0 S2	88 - 91	1203	1203
959 2.8	87 - 91	1842	1842
962/956	82 - 84	8058	8058
964 3.3 Turbo & Turbo S	88 - 91	1204	1203
964 3.3/3.6 Turbo & Turbo S	91 - 93	1842	1203
964 3.6 C4	88 - 94	1203	1203
964 3.6 Carrera RS	91 - 93	1204	1203
964 C2 3.6	91 - 94	1203	1203
968 3.0 Coupe	91 - 95	1203	1203
968 3.0 Coupe Sport	91 - 95	1204	1203
968 3.0 Coupe Turbo S	93 - 95	1842	1203
991 3.4 Carrera [ceramic brake caliper with RBD cast iron disk]	11 -	8235	4909
991 3.4 Carrera [ceramic brakes]	Nov 15	4908	4909
991 3.4 Carrera [iron brakes]	Nov 15	8074	4918

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
991 3.8 Carrera S [ceramic brake caliper with RBD cast iron disk]	11 -	8235	4909
991 3.8 Carrera S [ceramic brakes]	Nov 15	4908	4909
991 3.8 Carrera S / GTS [iron brakes]	Nov 15	4922	4909
991 911 Speedster [iron brakes]	19 -	4924	4925
991 GT3 [ceramic brakes]	15 - 18	4927	4925
991 GT3 [iron brakes]	15 - 18	4924	4925
991 GT3 Cup [PFC brakes 22/20 mm]	13 -	4920	4921
991 GT3 Cup [PFC brakes 28/26 mm]	13 -	4928	4929
991 GT3 Cup MR [PFC brakes 22/20 mm]	13 -	4920	4921
991 GT3 Cup MR [PFC brakes 28/26 mm]	13 -	4928	4929
991 GT3 R [race car]	16 - 18	8241	8242
991 GT3 RS [ceramic brakes]	15 - 18	4927	4925
991 GT3 RS [iron brakes]	15 - 18	4924	4925
991 R [ceramic brakes]	16 -	4927	4925
991 RSR GTE [race car]	17 -	2564	1674
991 Turbo [ceramic brakes]	13 -	4927	4925
991 Turbo [iron brakes]	13 -	4924	4925
991 Turbo S [ceramic brakes]	13 -	4927	4925
991 Turbo S [iron brakes]	13 -	4924	4925
991.2 3.0 Carrera [ceramic brakes]	15 -	4908	4909
991.2 3.0 Carrera [iron brakes]	15 -	8074	4918
991.2 3.0 Carrera GTS [iron brakes]	17 -	4908	4909
991.2 3.0 Carrera S [ceramic brakes]	15 -	4908	4909
991.2 3.0 Carrera S [iron brakes]	15 -	4908	4909
991.2 GT2 RS [ceramic brakes]	18 -	4927	4925
991.2 GT2 RS Clubsport [race car]	19 -	8101	2704
991.2 GT3 [ceramic brakes]	18 -	4927	4925
991.2 GT3 [iron brakes]	18 -	4924	4925
991.2 GT3 R [race car]	19 -	2564	1674
991.2 GT3 RS [ceramic brakes]	18 -	4927	4925
991.2 GT3 RS [iron brakes]	18 -	4924	4925
992 3.0 Carrera [iron brakes]	18-	8074	4909
992 3.0 Carrera 4S [ceramic brakes]	18-	4927	4925
992 3.0 Carrera 4S [iron brakes]	18-	4924	4909
992 3.0 Carrera S [iron brakes]	18-	4924	4909
992 Carrera GTS [iron brakes]	24 -	4927	4925
992 Carrera S [ceramic brakes]	2018 -	4927	4925
992 GT3 [ceramic brakes]	2021 -	4927	4925
992 GT3 [iron brakes]	2021 -	4924	4925
992 GT3 Cup	21 -	8087	8287
992 GT3 R [race car]	2022 -	2566	1674

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
992 Turbo [ceramic brakes]	20 -	8286	4925
992 Turbo [iron brakes]	2020 -	4924	4925
992 Turbo [iron brakes]	20 -	4927	4925
993 3.6 Carrera & C4	93 - 97	1204	1203
993 3.6 Turbo & Turbo GT2	95 - 97	1842	1204
993 3.8 Carrera RS & RSR	95 - 97	1842	1204
993 4S [turbo look]	96 - 97	1842	1204
993 GT2 & RSR [disc ø 380 mm]	95 - 97	1908	1204
996 3.4 C & 3.6	97 - 05	2405	2406
996 3.4 C Cup	99 - 01	2474	2405
996 3.6 C 4S	03. Mai	2474	2405
996 GT2	02. Mai	2707	2405
996 GT3	02. Mai	2707	2405
996 GT3 Cup	02. Mai	2707	2405
996 GT3 R & GT3 RS [race car]	00 - 05	1908	1674
996 GT3 RS [street car]	03. Mai	2707	2405
996 Turbo	99 - 05	2474	2405
997 3.6 C & 3.6 C4	08. Nov	8074	8006
997 3.8 C S & 3.8 C 4S	05. Dez	2474	2405
997 3.8 Carrera GTS	09. Nov	2474	2405
997 all models ceramic brakes	05. Dez	2707	8006
997 GT2 & GT2 RS	07. Dez	2707	8006
997 GT3	07. Nov	2707	8006
997 GT3 Cup [17 mm thick pads]	05. Dez	8003	8008
997 GT3 Cup [19 mm thick pads]	05. Dez	8004	8006
997 GT3 Cup Grand Am spec.	07. Dez	8038	8037
997 GT3 Cup S	08. Dez	8038	8037
997 GT3 R [race car, endurance caliper]	07. Dez	2488	1674
997 GT3 R [race car, normal caliper]	07. Dez	8038	8037
997 GT3 Rally	05. Dez	8003	8006
997 GT3 RS	07. Dez	2707	8006
997 GT3 RSR	07. Dez	2488	1674
997 Turbo	06. Dez	2707	8006
Boxster [986]	96 - 05	2407	2406
Boxster [987]	05. Dez	2407	2406
Boxster [987] [ceramic brakes]	05. Dez	2707	2405
Boxster 2.7 [981]	12 -	8074	2406
Boxster GTS 3.4 [981]	14 -	8074	2406
Boxster S [986]	99 - 05	2405	2406
Boxster S [987]	05. Dez	2405	2406
Boxster S 3.4 [981]	12 -	8074	2406

Please check with the appropriate drawing in shape list!

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Boxster Spyder [981]	15 -	4922	4918
Carrera 4 GTS [iron brakes]	24 -	4927	4925
Carrera GT	04. Jun	2707	2707
Cayenne (9YA) [ceramic brakes]	2018 -		
Cayenne [cast iron & ceramic brakes]	06 -	4917	4918
Cayenne Turbo [18" wheels]	02. Okt	2845	2406
Cayman [987]	09. Dez	2405	2406
Cayman [987] [ceramic brakes]	06. Dez	2707	2405
Cayman 2.7 [981]	13 -	8074	2406
Cayman GT4 [981]	16 -	4924	4925
Cayman GT4 [981] [ceramic brakes]	16 -	4927	4925
Cayman GT4 Clubsport [PFC brakes 22/20 mm]	16 -	4920	4921
Cayman GT4 Clubsport [PFC brakes 28/26 mm]	16 -	4928	4929
Cayman GT4 MR [PFC brakes 22/20 mm]	16 -	4920	4921
Cayman GT4 MR [PFC brakes 28/26 mm]	16 -	4928	4929
Cayman GTS 3.4 [981]	14 -	8074	2406
Cayman R [987] (none ceramic)	10. Dez	2405	2406
Cayman S [981] [ceramic brakes]	13 -	4908	2405
Cayman S [987]	06. Dez	2405	2406
Cayman S [ceramic brake caliper with RBD cast iron disc]	13 -	8235	8236
Cayman S 3.4 [981]	13 -	8074	2406
Panamera [cast iron & ceramic brakes]	Sep 16	4917	4909
Turbo S [iron brakes]	20 -	4927	4925
Porsche			
718 Cayman GT4 4.0 RS [982] [cast iron brakes]	21 -	4924	4925
718 Cayman GT4 4.0 RS [982] [ceramic brakes]	21 -	4927	4925
718 Cayman T [982C] [ceramic brakes]	19 -	4908	2405
992 GT3 Cup [Endurance]	21 -	8087	8312
992 Turbo [ceramic brakes]	20 -	8286	4925
Proton			
Iriz R5	17 -	1616	1616
Renault			
A310	71 - 83	1703	
Alpine A110/1300/1600/R16	73 - 76	1703	
Clio 1.8 16V & 2.0 16V	91 - 98	3276	1610
Clio 3.0 V6 Turbo Sport	98 - 03	4345	
Clio II 3.0 V6 mid engine	00 - 05	1408	1408
Clio II V6 [race car]	01. Mai	1361	1270

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Clio III 2.0 16V Sport	05. Dez	8023	1158
Clio III and IV Cup	16 -	8251	1158
Clio IV R3 Rally	12 -	8251	
Clio N5	17 -	1616	1616
Mégane Coach 2.0 16V	96 - 02	1702	1610
Mégane II Renault Sport & Clio Cup	05. Sep	8023	1158
Mégane III 2.0 RS [Brembo brakes] without electronic hand brake	Aug 16	2487	1158
Megane RS TCR [race car]	18 -	1539	1363
R5 Alpine/Alpine Turbo	76 - 84	1703	
RS01 [cast iron brakes]	15 -	8092	4923

Rover

Healey 3000	64 - 67	4905	8041
MG A 1.6 TC	58 - 60	8070	8070
Mini Cooper 10" wheel	63 - 69	1362	
Mini Cooper S 12" wheel	63 - 71	1363	
Spitfire/1300 TC	67 - 80	3102	
Triumph Spitfire	67 - 80	3102	
Triumph TR4/TR5	62 - 69	8041	
Triumph TR6	69 - 72	8041	

Saab

99	67 - 74	4304	4122
----	---------	------	------

SAIC Motors - MG

6 XPower TCR	20 -	1539	1363
--------------	------	------	------

Seat

Ibiza & Toledo 16V	91 - 99	1743	1158
Leon 1.8T Cupra R (Brembo)	03. Jun	1408	1158
Leon 2.8 Cupra 4 (Brembo)	01. Jun	1408	1158
Leon Cup Racer MK3 [race car]	14 - 17	1539	1363
Leon Cupra Cup MK2 [race car]	Jul 13	4346	1158
Several		8064	
Toledo 2.3i V5	99 - 04	1678	1158

Sin Cars

R1	15 -	1903	1903
R1 GT4	15 -	1903	1903
R1 RS	15 -	1903	1903

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Skoda			
Fabia R5	14 - 17	1896	
Fabia R5 [Tarmac & Gravel]	17 - 19	1616	1616
Fabia R5 Evo [Tarmac & Gravel]	19 -	1595	1595
Fabia RS Rallye S2000	15 -	1616	1616
Octavia 1.8i 20V Turbo	97 - 04	1678	1158
Several		8064	
Subaru			
Impreza 2.5 WRX (System Tokico)	11 -	8174	
STI 3rd & 4th generation	Mär 16	2487	1587
STI 5th generation [6 piston Brembo caliper]	17 -	8005	
WRX Japan + EU	98 - 03	1406	
WRX STI TCR	16 -	1539	1363
Sunbeam			
Alpine	64 - 67	4905	
Tiger	64 - 67	4905	
Talbot			
Simca 1000 Rallye I	69 - 81	4122	
Simca 1000 Rallye II+III	72 - 81	4304	
Tatuus			
F3 [Brembo Caliper]	18 -	1283	1283
Tony Kart			
DD2	04-	5102	5103
KZ Shifter	04-	5102	5103
Mini	04-		5102
Toyota			
GR Supra	19 -	8275	8276
GR Supra GT4 [race car] (Brembo calipers)	20 -	8100	2704
GT86 2.0 GT (system Tokico)	12 -	8174	8175
GT86 2.0 GT R3 Rally	15 -	1595	3102
Yaris 1.3	Jun 13	4913	
Yaris Cup & MR2 Spyder		8029	

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Toyota			
Supra A90	2019	8275	8276
Yaris GR	2020	8299	8300
TVR			
Griffith	64 -	4508	1192
Volvo			
Amazone P121S	61 - 69	8042	
P1800	61 - 69	8042	
S60 Turbo R Brembo brakes	03. Jul	2487	1408
V70 R 2.5T Brembo brakes	03. Jul	2487	1408
VW			
Golf 1.1/1.3/1.6 GTI	75 - 83	4304	
Golf 1.5/1.6/Polo	74 - 78	2723	
Golf 2 GTI G60	90 - 91	1743	
Golf GTI TCR [race car]	15 -	1539	1363
Golf III 2.0i GTI 16V & VR6	96 - 97	1678	1158
Golf IV 1.8 Turbo & 2.3i V5	97 - 04	1678	1158
Golf IV 2.8i V6	99 - 04	1678	1158
Golf IV 3.2 R32	02. Mai	2830	1158
Golf Mk1 GTI	74 - 85	4011	
Golf Mk2	83 - 92	4011	
Golf V 3.2 R32	05. Aug	8064	8046
Golf V GTI (disc Ø 288 mm)	04. Aug	8001	8046
Golf V GTI (disc Ø 345 mm)	04. Aug	8064	8046
Golf VI 2.0R 4motion (disc Ø 345 mm)	09. Dez	8064	8046
Golf VI GTI (disc Ø 312 mm)	09. Dez	8001	4936
Golf VII 2.0 GTI (disc Ø 340 mm) performance brake	13 -	8201	
Golf VII 2.0 GTI Clubsport	16 -	8201	
Golf VII 2.0 R 4motion (disc Ø 340 mm) performance brake	13 -	8201	
Lupo 1.6 GTI	00 - 05	1743	1158
New Beetle 1.8 Turbo 20V	99 - 10	1678	1158
New Beetle 2.3 & 3.2 V6	00 - 03	1678	1158
Polo (6N) 1.3i & 1.4i	94 - 99	4011	
Polo (6N) 1.4i 100 16V	99 - 01	1743	1158
Polo (6N) 1.6 GTI	98 - 01	1743	1158

RACING BRAKE PADS / APPLICATION LIST RACE CARS

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Polo [MK5] 2.0R WRC [street car]	13 - 14	8001	1158
Polo Coupe (86C, 80) G40	81 - 94	4011	
Polo N5	18 -	1616	1616
Polo R5	18 -	1595	1595
Polo R5 [Tarmac & Gravel]	18 -	1595	1595
Scirocco	73 - 80	2723	
Scirocco (53, 53B)	74 - 92	4011	
Touareg [ceramic brakes]	08 -	4917	4918
Wartburg			
1.0/1.3	66 - 91	8067	
Yamaha			
YZ1000R	2017 -	6003	6004

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1141

Thickness: 17 mm

Information:

BMW rear

Compounds:

RSL 19

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1144

Thickness: 19.5 mm

Information:

BMW M3 E30 front

Compounds:

RS 42

RSL 29

158 mm

57 mm

Pad Depth: 52 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1146

Thickness: 15.5 mm

Information:

Compounds: On Inquiry


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1151

Thickness: 13.5 mm

Information:

Compounds: RSH 42



Related Shape No. :	1177	-	-	-	-	-
Thickness (mm) :	15.5	-	-	-	-	-

Shape No.: 1158

Thickness: 15 mm

Information:

Audi / VW rear

Compounds:

RS 42

RS 44

RSL 19

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1163

Thickness: 13.7 mm

Information: Caterham

Compounds: **RS 14** **RS 42**

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-


-

-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1177		Thickness: 15.5 mm				
Information:		Opel				
Compounds:		RSH 42				
						
Related Shape No. :	1151	-	-	-	-	-
Thickness (mm) :	13.5	-	-	-	-	-

Shape No.: 1190


Thickness: 19 mm

Information:

Compounds: RSH 29E

Technical drawing of Shape No. 1190. The drawing shows a symmetrical, wide, shallow pad with a central slot. The width is dimensioned as 110 mm and the height as 60 mm. The central slot is circular with a small central hole. The pad has a slightly flared top edge and a slightly recessed bottom edge.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1191		Thickness: 18.5 mm				
Information:						
Compounds:		RSH 29E	RSH 3	RSH 42		
						
Related Shape No. :	1195	-	-	-	-	-
Thickness (mm) :	24	-	-	-	-	-

Shape No.: 1192

Thickness: 17 mm

Information:

Compounds:

RSH 29E

RSH 3

RSH 42

102 mm

53 mm

Pad Depth:
50 mm

Related Shape No. :

1193

-

-

-

-

-

Thickness (mm) :

20

-

-

-

-

-

Shape No.: 1193

Thickness: 20 mm

Information:

Compounds: **RSH 29E**

102 mm

53 mm

Pad Depth:
50 mm

Related Shape No. :	1192	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 1195

Thickness: 24 mm

Information:

Compounds:

RSH 29E

RSH 3

Technical drawing of Shape No. 1195, a wide pad with a central slot and side flaps. The drawing shows the following dimensions:

- Overall width: 117,3 mm
- Overall height: 73 mm
- Pad Depth: 59 mm

The drawing includes two circular holes on the top edge, one on each side of the central slot. The central slot is defined by two vertical lines, and the side flaps are indicated by diagonal lines at the bottom corners.

Related Shape No. :	1191	-	-	-	-	-
Thickness (mm) :	18.5	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1196

Thickness: 23 mm

Information:

BMW M1 Procar

Compounds:

RST 2

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1203

Thickness: 17.5 mm

Information:

Alcon / Ferrari / Lucas / Girling / Maserati / Porsche

Compounds:

RS 14

RS 42

RS 44

RSL 29

RST 3

Related Shape No. :	1916	8009	-	-	-	-
Thickness (mm) :	24	15.5	-	-	-	-

Shape No.: 1204

Thickness: 18 mm

Information:

Porsche / StopTech

Compounds:

RS 14

RS 42

RS 44

RSL 29

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1265

Thickness: 16 mm

Information:

Alcon / AP Racing / Caterham

Compounds:

RSH 3

RSH 42

RSL 29

RST 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1267

Thickness: 20 mm

Information: AP Racing / Lucas / Girling

Compounds: **On Inquiry**

Technical drawing of a brake pad. The drawing shows a cross-section of the pad with a central mounting tab. Dimensions are indicated: a total width of 130 mm, a total height of 65 mm, and a central pad depth of 54 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1269

Thickness: 17 mm

Information: AP Racing

Compounds:

RSH 3

RSH 42

RSL 29

RST 1

RST 2

RST 4

Technical drawing of a brake pad (Shape No. 1269) showing dimensions:

- Width: 126.7 mm
- Height: 56 mm
- Pad Depth: 50 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1270

Thickness: 20 mm

Information:

AP Racing / BMW / Chevrolet

Compounds:

RS 42

RSL 1

RSL 29

RST 1

RST 3

RST 5 E

Related Shape No. :	1361	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 1276

Thickness: 19.5 mm

Information: Audi

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1283

Thickness: 20 mm

Information:

Alcon / AP Racing / Brembo

Compounds:

RS 34


RS 42

RST 3

RST 4

RST 5 E

Related Shape No. :	1705	8193	-	-	-	-
Thickness (mm) :	16	22	-	-	-	-

Shape No.: 1285		Thickness: 16.8 mm					
Information:	BMW rear						
Compounds:	RS 42 RSL 1 RSL 29						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 1287

Thickness: 18 mm

Information: Brembo

Compounds:

RS 42

RSC 1

RSC 3

RSL 1

RSL 29

RST 1

RST 3

131.5 mm

68 mm

Pad Depth: 50.5 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Shape No.: 1288

Thickness: 17.5 mm

Information: Opel

Compounds: RS 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 1291

Thickness: 17.8 mm

Information: BMW front

Compounds: RSH 29E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1295		Thickness: 19.5 mm				
Information:		Alfa Romeo / BMW				
Compounds:		RS 14	RS 44	RSL 1	RSL 29	RST 1
		RST 3				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1323

Thickness: 14.5 mm

Information:

Compounds on inquiry

Compounds:

On Inquiry

Technical drawing of a wide, shallow, trapezoidal component. The top width is 107,3 mm and the height is 45 mm. The component has a central vertical groove and a small circular feature on the top edge.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1361

Thickness: 17 mm

Information:

AP Racing / Lucas / Girling

Compounds:

RSH 42

RSL 1

RSL 29

RST 1

RST 3

RST 5 E

132 mm

56 mm

Pad Depth: 50 mm

Related Shape No. :	1270	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 1362

Thickness: 10.5 mm

Information:

AP Racing / Formula Ford

Compounds:

RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1363

Thickness: 15 mm

Information:

AP Racing / Formula Ford

Compounds:

RS 14

RS 44

RSH 42

RSL 2

RSL 29

RST 2

RST 4

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1406

Thickness: 14.5 mm


Information:


Mitsubishi / Nissan / Subaru

Compounds:

RSL 1 RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1408		Thickness: 15 mm				
Information:	Brembo / Ferrari					
Compounds:	RS 14 RS 42 RSL 1 RSL 29 RST 3					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1427		Thickness: 17.2 mm				
Information:	BMW / Nissan					
Compounds:	RS 42 RSL 1 RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1538

Thickness: 25 mm

Information:

Alcon / AP Racing / StopTech

Compounds:

RSL 29

RST 3

Related Shape No. :	1903	8018	8192	-	-	-
Thickness (mm) :	18	17	28.5	-	-	-

Shape No.: 1539

Thickness: 25 mm

Information: Alcon / AP Racing

Compounds:

RSL 1

RSL 1E

RSL 2

RSL 29

RSL 2E

RST 1

RST 2

RST 2E


RST 3

RST 5 E

RSX

Technical drawing of a brake pad (Shape No. 1539) showing dimensions: 152 mm width, 63 mm height, and Pad Depth: 54 mm.

Related Shape No. :	1904	8250	-	-	-	-
Thickness (mm) :	18	28.5	-	-	-	-

Shape No.: 1544		Thickness: 17.5 mm				
Information:	BMW / Citroen					
Compounds:	RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 1580


Thickness: 14.5 mm


Information: Porsche

Compounds: **On Inquiry**

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1587		Thickness: 15 mm				
Information:	AP Racing / Brembo / StopTech					
Compounds:	RS 14 RS 42 RSL 29 RST 3 RST 4					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1591		Thickness: 15.6 mm				
Information:	Mitsubishi					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1594USA		Thickness: 15 mm				
Information:		GM Intermediate				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1595

Thickness: 16 mm

Information:

Alcon / Brembo / AP Racing

Compounds:

RS 42

RSL 1E

RSL 29

RST 1

RST 2E

RST 3

RST 5 E

Related Shape No. :	1607	1674	2704	8037	8191	8267
Thickness (mm) :	20	25	26.5	22	29	18

Shape No.: 1595USA

Thickness: 15 mm

Information: GM Metric

Compounds: On Inquiry


Technical drawing of a brake pad showing two views: inner and outer. The inner view shows a width of 152,4 mm and a height of 23 mm. The outer view shows a width of 123 mm and a height of 60 mm. The brake pad has a central vertical slot and mounting tabs on the sides.


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 1607		Thickness: 20 mm					
Information:		Alcon / Brembo / Wilwood					
Compounds:		RS 42 RSL 29 RST 5 E					
							
Related Shape No. :	1595	1674	2704	8037	8191	8267	
Thickness (mm) :	16	25	26.5	22	29	18	

Shape No.: 1610		Thickness: 12 mm					
Information:		Citroen / Peugeot / Renault rear					
Compounds:		RS 42					
							
Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 1616		Thickness: 16 mm					
Information:		Brembo / Ford / Skoda					
Compounds:		RST 2E RST 3 RST 5 E					
							
Related Shape No. :	1618	1619	1896	8030	-	-	
Thickness (mm) :	28	26	20	17	-	-	

Shape No.: 1617		Thickness: 16 mm					
Information:		AP Racing / Ford					
Compounds:		RST 3 RST 5 E					
							
Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	


Shape No.: 1618		Thickness: 28 mm					
Information:		Alcon / Brembo					
Compounds:		RSL 29					
							
Related Shape No. :	1616	1619	1896	8030	-	-	
Thickness (mm) :	16	26	20	17	-	-	

Shape No.: 1619		Thickness: 26 mm					
Information:		Alcon / Brembo / Wilwood					
Compounds:		RSL 1 RST 1					
							
Related Shape No. :	1616	1618	1896	8030	-	-	
Thickness (mm) :	16	28	20	17	-	-	

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1620		Thickness: 16.5 mm				
Information:		Opel				
Compounds:		RS 42 RST 3				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1674

Thickness: 25 mm

Information:

Alcon / AP Racing / Brembo

Compounds:

RS 44

RSL 1

RSL 19

RSL 2

RSL 29


RSL D1


RST 1

RST 3

RST D1

Related Shape No. :	1595	1607	2704	8037	8191	8267
Thickness (mm) :	16	20	26.5	22	29	18

Shape No.: 1678		Thickness: 19.5 mm				
Information:		Audi / Seat / Skoda / VW				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1682		Thickness: 13 mm				
Information:		Dodge / Lotus / Opel				
Compounds:		RS 14 RS 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1702

Thickness: 19 mm

Information:

Renault

Compounds:

RS 42

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1703

Thickness: 12 mm

Information:

Compounds: RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1705

Thickness: 16 mm

Information:

Alcon / AP Racing / Brembo


Compounds:

RS 42

RSL 29

RST 3

Related Shape No. :	1283	8193	-	-	-	-
Thickness (mm) :	20	22	-	-	-	-

Shape No.: 1712USA		Thickness: 16 mm				
Information:	Wilwood					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1743

Thickness: 16 mm

Information: Seat / VW

Compounds: **RS 14**

Technical drawing of a brake pad. The drawing shows a cross-section of a brake pad with a central circular hole and two mounting tabs. Dimensions are indicated: a top width of 119 mm, a total height of 70 mm, and a central pad depth of 47 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1744

Thickness: 19.5 mm

Information:

Compounds: RSH 29E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1749

Thickness: 16 mm

Information:

Alcon / AP Racing

Compounds:

RSH 3

RSH 42

RSL 29

RST 2

RST 4

RST 5 E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1756

Thickness: 20 mm

Information: Alcon

Compounds: **On Inquiry**

132 mm

70 mm

Pad Depth: 59 mm

Related Shape No. :	2743	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 1796

Thickness: 13 mm


Information:


Outlaw / Wilwood

Compounds:

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1798USA		Thickness: 20 mm				
Information:	Wilwood					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1809USA		Thickness: 12 mm				
Information:	Wilwood					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1813

Thickness: 25 mm

Information: AP Racing

Compounds: **On Inquiry**

Technical drawing of a curved brake pad. The drawing shows a cross-section of the pad with a central recessed area. Dimensions are indicated: a total width of 152 mm, a height of 58 mm, and a central recessed area labeled "Pad Depth: 46 mm". Two mounting holes are shown on the top edge.

Related Shape No. :	1852	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-

Shape No.: 1842

Thickness: 18 mm

Information:

Alcon / AP Racing / Audi / Brembo / Porsche

Compounds:

RS 14

RSL 1

RSL 29


Related Shape No. :	1908	8090	-	-	-	-
Thickness (mm) :	24	22	-	-	-	-

Shape No.: 1852

Thickness: 18 mm

Information: AP Racing

Compounds: **RSL 29** **RST 3**



Related Shape No. :	1813	-	-	-	-	-
Thickness (mm) :	25	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 1896

Thickness: 20 mm

Information:

Alcon / AP Racing / Brembo / Ferrari


Compounds:

RSL 1

RSL 29

RST 5 E

Related Shape No. :	1616	1618	1619	8030	-	-
Thickness (mm) :	16	28	26	17	-	-

Shape No.: 1897		Thickness: 14.5 mm					
Information:		Mitsubishi					
Compounds:		On Inquiry					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 1903

Thickness: 18 mm

Information:

Alcon / AP Racing / Coleman / StopTech

Compounds:

RS 42

RSC 1

RSL 1

RSL 29

RST 1

RST 3

Related Shape No. :	1538	8018	8192	-	-	-
Thickness (mm) :	25	17	28.5	-	-	-

Shape No.: 1904

Thickness: 18 mm

Information:

Alcon / AP Racing / Honda (Acura) / Mitsubishi

Compounds:

RSL 1

RSL 1E

RSL 29

RST 1

RST 2E

RST 3

Related Shape No. :	1539	8250	-	-	-	-
Thickness (mm) :	25	28.5	-	-	-	-

Shape No.: 1908

Thickness: 24 mm

Information:

Alcon / Brembo / Porsche

Compounds:

RSL 1

RST 3

Related Shape No. :	1842	8090	-	-	-	-
Thickness (mm) :	18	22	-	-	-	-

Shape No.: 1916

Thickness: 24 mm

Information: Alcon / Porsche

Compounds: RSH 29E RSH 42

Related Shape No. :	1203	8009	-	-	-	-
Thickness (mm) :	17.5	15.5	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 2016

Thickness: 30 mm

Information:

Alcon / AP Racing / Brembo

Compounds:

On Inquiry

RSL 1E

RSL 2E

RST 2E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2017

Thickness: 30 mm

Information:

AP Racing / Bentley / Brembo / Chevrolet

Compounds:

RSL 1

RSL 1E

RSL 2E

RST 1

RST 2E

RSX

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2019

Thickness: 30 mm


Information: AP Racing / BMW

Compounds: **RSL 1** **RSL 1E** **RSL 2E** **RST 1** **RST 2E**
RST 5 E **RSX**

Technical drawing of a racing pad (Shape No. 2019) showing dimensions: 164 mm width, 75.5 mm height, and Pad Depth: 62 mm.

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 2053		Thickness: 20 mm				
Information:	Brembo					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2105

Thickness: 22 mm

Information: Brembo

Compounds: **On Inquiry**

Technical drawing of a brake pad (Shape No. 2105). The drawing shows a cross-section of the pad with the following dimensions:

- Width: 85 mm
- Height: 68 mm
- Pad Depth: 50 mm

The pad has a central mounting tab with a circular hole, and two side mounting tabs, each also with a circular hole. The bottom edge features a semi-circular cutout.

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Shape No.: 2126

Thickness: 17 mm

Information:

AP Racing

Compounds:

RS 42

RSL 1

RST 3

RST 5 E

Technical drawing of a curved pad. The drawing shows a cross-section of the pad, which is curved upwards. The width of the pad is indicated as 132 mm. The height of the pad is indicated as 56 mm. The depth of the pad is indicated as 42 mm. The pad has a central section and two side sections, separated by vertical lines.

Related Shape No. :	8216	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 2127

Thickness: 16 mm

Information: Alcon / AP Racing

Compounds:

RS 14


RS 42

RSL 1

RSL 29

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2180		Thickness: 17.2 mm				
Information:		BMW				
Compounds:		RSL 29 RST 3				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2205USA

Thickness: 20 mm

Information: AP / Wilwood

Compounds:

RST 1

RST 3

Related Shape No. :	8195	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 2206USA

Thickness: 20 mm

Information:

AP Racing / StopTech / Wilwood

Compounds:

RSL 29

RST 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2213USA


Thickness: 15 mm

Information: Corvette C5 / C6 base

Compounds: **On Inquiry**

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 2275		Thickness: 19.5 mm				
Information:		Opel				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 2388

Thickness: 18.5 mm

Information: Citroen / Peugeot

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2405		Thickness: 18.5 mm				
Information:	Porsche					
Compounds:	RS 14 RS 42 RS 44 RSC 1 RSL 1 RSL 19 RSL 29 RST 3					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2406

Thickness: 15.5 mm

Information:

Porsche

Compounds:

RS 14

RS 42

RS 44


RSL 1

RSL 19

RSL 29

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2407		Thickness: 15.5 mm				
Information:	Porsche					
Compounds:	RS 14 RS 44 RSL 29 RST 3					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2445

Thickness: 15.5 mm

Information: Mitsubishi

Compounds: RS 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2474

Thickness: 18.5 mm

Information:

Porsche

Compounds:

RS 14

RS 42

RSL 19

RSL 29

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 2475USA

Thickness: 20 mm

Information: Alcon

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2487

Thickness: 16 mm

Information:

Brembo

Compounds:

RS 42

RSL 1


RSL 29

RST 1

RST 3

RST 5 E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2488		Thickness: 29 mm							
Information:		Alcon / Brembo							
Compounds:	RSL 1					RSL 29	RSL 2E	RST 1	RST 2E
	RSX								
									
Related Shape No. :	2687	8038	8087	8173	-	-			
Thickness (mm) :	20	22	25	31	-	-			

Shape No.: 2555

Thickness: 20 mm

Information:

Brakeman / Coleman / Opel / Outlaw / Wilwood

Compounds:

RS 14

RSL 29

RST 3

Related Shape No. :	8195	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 2557

Thickness: 29 mm

Information:

Alcon / AP Racing / McLaren

Compounds:


RSL 1E

RSL 29

RST 1

RST 2E

Related Shape No. :	2558	2559	2688	8222	-	-
Thickness (mm) :	31	32	26.5	25	-	-

Shape No.: 2558		Thickness: 31 mm				
Information:	AP Racing					
Compounds:	On Inquiry					
						
Related Shape No. :	2557	2559	2688	8222	-	-
Thickness (mm) :	29	32	26.5	25	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST


Shape No.: 2581USA

Thickness: 16 mm

Information: Wilwood

Compounds: **On Inquiry**

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2593		Thickness: 14.6 mm				
Information:	Lotus / Opel					
Compounds:	RS 14					
						
Related Shape No. :	4507	-	-	-	-	-
Thickness (mm) :	16.5	-	-	-	-	-

Shape No.: 2623

Thickness: 17.3 mm

Information: Honda (Acura)

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2683

Thickness: 19 mm

Information: BMW / Maserati

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2685

Thickness: 17 mm


Information:

BMW / Maserati

Compounds:

RSL 1RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2687		Thickness: 20 mm				
Information:	Brembo					
Compounds:	On Inquiry					
						
Related Shape No. :	2488	8038	8087	8173	-	-
Thickness (mm) :	29	22	25	31	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 2688

Thickness: 26.5 mm

Information: Alcon / AP Racing

Compounds: On Inquiry

Related Shape No. :	2557	2558	2559	8222	-	-
Thickness (mm) :	29	31	32	25	-	-

Shape No.: 2704

Thickness: 26.5 mm

Information:

Audi / Brembo

Compounds:

RSL 1

RSL 19

RSL D1

RST D1

Related Shape No. :	1595	1607	1674	8037	8191	8267
Thickness (mm) :	16	20	25	22	29	18

Shape No.: 2707

Thickness: 18 mm

Information: Porsche

Compounds: **RS 14** **RSC 1** **RSC 3** **RSL 29**

190 mm

102 mm

Pad Depth: 66 mm
(with or without grooves)

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-


Shape No.: 2723

Thickness: 18 mm

Information:

Compounds: **On Inquiry**

Related Shape No. :	4304	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 2743		Thickness: 15 mm					
Information:		Alcon					
Compounds:		On Inquiry					
							
Related Shape No. :	1756	-	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-	-

Shape No.: 2830

Thickness: 20 mm

Information:

Audi / Mercedes / VW

Compounds:


RSL 29


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 2845		Thickness: 16 mm				
Information:	Porsche / VW					
Compounds:	RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2905USA		Thickness: 12.5 mm				
Information:	Wilwood					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2931

Thickness: 16.5 mm

Information:

Audi / Brembo / Lamborghini / Mitsubishi


Compounds:

RSL 1

RSL 29

RST 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2959		Thickness: 17.3 mm				
Information:	BMW					
Compounds:	RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3102

Thickness: 14.4 mm

Information:

Alcon / Caterham / Citroen / Lucas / Girling / Toyota

Compounds:

RS 42

RS 44


RSH 3

RSL 29

RST 4

RST 5 E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3190		Thickness: 14.4 mm				
Information:						
Compounds:	RSH 29E	RSH 42				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 3242

Thickness: 15.5 mm

Information:

Compounds: RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3276		Thickness: 18 mm					
Information:		Peugeot / Renault					
Compounds:		On Inquiry					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 3277

Thickness: 24 mm

Information: Alcon / AP Racing / Brembo / StopTech / Wilwood

Compounds: **On Inquiry**

Related Shape No. :	3278	3279	8033	-	-	-
Thickness (mm) :	30	28	17.5	-	-	-

Shape No.: 3278

Thickness: 30 mm

Information: Alcon / AP Racing / Brembo / StopTech

Compounds: On Inquiry

Related Shape No. :	3277	3279	8033	-	-	-
Thickness (mm) :	24	28	17.5	-	-	-

Shape No.: 3279

Thickness: 28 mm

Information: Alcon / AP Racing / Brembo / StopTech

Compounds: **On Inquiry**

Technical drawing of a brake pad (Shape No. 3279). The drawing shows a cross-section of the pad with a width of 140 mm and a height of 70 mm. The pad depth is indicated as 61 mm. The drawing includes mounting tabs on the sides and a central curved section.

Related Shape No. :	3277	3278	8033	-	-	-
Thickness (mm) :	24	30	17.5	-	-	-

Shape No.: 3830USA

Thickness: 14.5 mm

Information: Mazda / Fiat

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 4011

Thickness: 15.5 mm

Information: VW

Compounds: **RSL 29**

Technical drawing of Shape No. 4011, showing two views of a wide, shallow pad. The top view shows a width of 138 mm and a depth of 45 mm. The bottom view shows a width of 138 mm and a depth of 49 mm. The overall height of the pad is 51 mm. The drawing includes dimension lines and labels for width, depth, and height.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4122

Thickness: 14.7 mm

Information:

Porsche

Compounds:

RSH 29E

RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4304

Thickness: 15 mm

Information:

Brembo / Porsche / StopTech

Compounds:

RS 14

RSH 29E

RSH 3

RSH 42

RSL 29

Related Shape No. :	2723	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-

Shape No.: 4345

Thickness: 16.7 mm

Information: AP Racing / Alcon / Lotus / McLaren / Renault

Compounds: **RS 14** **RSL 1** **RSL 2** **RSL 29**

Technical drawing of a brake pad (Shape No. 4345). The drawing shows a cross-section of the pad with a width of 130 mm and a height of 82 mm. The pad has a central raised section and two side sections. The text "Pad Depth: 55 mm" is written inside the pad.

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 4346

Thickness: 16.7 mm

Information: AP Racing / McLaren / Seat

Compounds: **RSL 1** **RSL 2** **RSL 29** **RST 1** **RST 3**

Technical drawing of a racing pad (Shape No. 4346). The drawing shows a rectangular pad with a width of 149 mm and a height of 86 mm. The pad has a central vertical groove and two small circular holes on the left and right sides. The text "Pad Depth: 58 mm" is written inside the pad.

Related Shape No. :	8261	-	-	-	-	-
---------------------	------	---	---	---	---	---

Thickness (mm) :	25	-	-	-	-	-
------------------	----	---	---	---	---	---

Shape No.: 4349

Thickness: 16 mm

Information:

AP Racing / Caterham / Lotus

Compounds:

RS 14

RSC 1

RSL 1E

RSL 29

RST 2E

RST 3

Related Shape No. :	8076	-	-	-	-	-
Thickness (mm) :	14.4	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4501

Thickness: 15 mm

Information:

Compounds:

RS 44

RSH 29E

RSH 3

RSH 42

RSL 29

Technical drawing of Shape No. 4501. The drawing shows a rectangular pad with a central vertical groove. The total width is 76.7 mm, the total height is 70 mm, and the pad depth is 55 mm. The top edge features two rounded protrusions, each containing a small square hole. The central groove is labeled 'Pad Depth: 55 mm'.

Related Shape No. :	4503	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

Shape No.: 4503

Thickness: 19 mm

Information:

Compounds:

RSH 29E

RSH 42

Technical drawing of Shape No. 4503. The drawing shows a rectangular pad with a central vertical groove. The total width is 76.7 mm, the total height is 70 mm, and the pad depth is 55 mm. The top edge features two raised, rounded sections, each containing a small square hole. The central groove is 10 mm wide.

Related Shape No. :	4501	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4507


Thickness: 16.5 mm

Information:

Compounds: RSH 42

Technical drawing of Shape No. 4507. The drawing shows a rectangular pad with a central vertical groove. The total width is 76.8 mm, the total height is 65.6 mm, and the pad depth is 51 mm. The top corners are rounded, and there are small square features on the top surface.

Related Shape No. :	2593	-	-	-	-	-
Thickness (mm) :	14.6	-	-	-	-	-

Shape No.: 4508		Thickness: 16 mm				
Information:						
Compounds:		RSH 29E				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4509

Thickness: 15.6 mm

Information:

Compounds: On Inquiry

Technical drawing of a curved pad. The drawing shows a cross-section of the pad, which is wider at the top and tapers towards the bottom. A central vertical line divides the pad into two symmetrical halves. Dimension lines indicate the following measurements: a total width of 126,8 mm at the top, a total height of 56,7 mm on the right side, and a central 'Pad Depth' of 43 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4580

Thickness: 15.25 mm

Information: Ferrari

Compounds: RSC 1 RSL 1

201,6

97,48

Pad Depth: 82 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 4581

Thickness: 15 mm

Information: Ferrari

Compounds: RSC 1 RSL 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4623

Thickness: 18.5 mm

Information:

Compounds: RSH 42

Technical drawing of a racing pad (Shape No. 4623). The drawing shows a rectangular pad with a central vertical slot. The overall width is 76.8 mm and the overall height is 59 mm. The pad features two side tabs, each with a rounded rectangular cutout. The central slot is labeled 'Pad Depth: 46 mm'.

Related Shape No. :	4634	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4634

Thickness: 15 mm

Information:

Compounds: **On Inquiry**

Technical drawing of Shape No. 4634, a racing pad. The drawing shows a rectangular pad with a central vertical slot and two side tabs. Dimensions are indicated: 76.8 mm width, 59 mm height, and Pad Depth: 46 mm.

Related Shape No. :	4623	-	-	-	-	-
Thickness (mm) :	18.5	-	-	-	-	-

Shape No.: 4702

Thickness: 19 mm

Information:

Compounds:

RSH 29E

RSH 42

Related Shape No. :	4703	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4703

Thickness: 15 mm

Information:

Compounds:

RSH 29E

RSH 42


Related Shape No. :	4702	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

Shape No.: 4823

Thickness: 18 mm

Information: Ford

Compounds: **On Inquiry**



Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4905

Thickness: 15.5 mm


Information:

Compounds:

RSH 29E

RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4906		Thickness: 16.3 mm				
Information:		Chevrolet / Ferrari / Lamborghini				
Compounds:		RSC 1 RSC 2				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4907

Thickness: 16 mm

Information:

Audi / Lamborghini

Compounds:

RSC 1

RSC 2

RSC 3

RSL 29

Technical drawing of a brake pad. The drawing shows a cross-section of the pad with a central friction surface. Dimensions are indicated: a width of 176 mm, a height of 110 mm, and a pad depth of 80 mm. The pad has a complex shape with mounting tabs and a central slot.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4908

Thickness: 17.5 mm

Information: Porsche

Compounds:

RSC 1

RSL 1

RSL 29


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4909

Thickness: 16 mm


Information: Porsche

Compounds: RSC 1 RSL 1 RSL 29



Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 4910		Thickness: 20 mm				
Information: Audi / Bentley						
Compounds:		RSC 1				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST


Shape No.: 4912

Thickness: 16 mm

Information: Alcon

Compounds: RST 2E RST 5 E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4913		Thickness: 17.9 mm				
Information:	Toyota					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4916


Thickness: 15 mm

Information: Alcon

Compounds: **RST 1** **RST 5 E**

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 4917		Thickness: 16 mm				
Information:	Porsche / VW					
Compounds:	RSC 1 RSC 3 RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4918

Thickness: 16.3 mm

Information:

Porsche / VW


Compounds:

RSC 1

RSC 3

RSL 29


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4920		Thickness: 22 mm				
Information:	Porsche					
Compounds:	RSL 1 RSL 1E RST 1 RST 2E					
						
Related Shape No. :	4928	-	-	-	-	-
Thickness (mm) :	28	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4921		Thickness: 20 mm					
Information:	Porsche						
Compounds:	RSL 1 RST 1						
							
Related Shape No. :	4929	-	-	-	-	-	-
Thickness (mm) :	26	-	-	-	-	-	-

Shape No.: 4922

Thickness: 17.3 mm

Information: Porsche

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4923

Thickness: 29 mm

Information: Ginetta / PFC

Compounds:

RSL 1

RST 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4924

Thickness: 16.6 mm

Information:

Porsche

Compounds:

RSL 1

RSL 29

RST 1

RST 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4925

Thickness: 18 mm

Information: Porsche

Compounds: **RSC 1** **RSC 2** **RSC 3** **RSL 1** **RSL 29**
RST 3

187,5 mm

77 mm

Pad Depth: 66 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4927

Thickness: 18.5 mm

Information:

Porsche

Compounds:

RSC 1

RSC 2

RSC 3

RSL 1


RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 4928		Thickness: 28 mm						
Information:		Porsche						
Compounds:		RSL 1	RSL 1E	RSL 2	RSL 29	RSL 2E		
		RST 2E	RST 3	RSX				
								
Related Shape No. :		4920	-	-	-	-	-	-
Thickness (mm) :		22	-	-	-	-	-	-

Shape No.: 4929

Thickness: 26 mm

Information:

Porsche

Compounds:

RSL 1

RSL 29

RSL D1

RST 3

RST D1

Technical drawing of a rectangular pad with rounded corners. The drawing shows the top and side profiles. The top profile is a rectangle with rounded corners. The side profile shows a depth of 49 mm. The overall width is 110,4 mm and the overall height is 55 mm.

Related Shape No. :	4921	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 4930

Thickness: 19 mm

Information: Alpina

Compounds: **On Inquiry**

Technical drawing of Shape No. 4930, a rectangular pad with rounded corners and a central notch. The drawing shows the top view with dimensions: 193 mm width, 96 mm height, and a central notch depth of 90 mm. A note indicates "with or without top 'hammer head'".

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4931

Thickness: 17.5 mm

Information: Alpina / BMW

Compounds: **RSL 1** **RSL 29**

Technical drawing of Shape No. 4931, a rectangular pad with rounded corners and a central notch. The drawing shows a top-down view with dimensions: width 114,5 mm, height 83 mm, and a central notch depth of 70 mm. The text "Pad Depth: 70 mm" is written inside the pad area.

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Shape No.: 4932

Thickness: 18 mm

Information: Alpina / BMW

Compounds: **RSC 1** **RSL 29**

Technical drawing of Shape No. 4932, a rectangular pad with rounded corners and a central notch. The drawing shows the top view with dimensions: 116 mm width, 73 mm height, and a central notch depth of 63 mm. The text "Pad Depth: 63 mm" is written inside the shape.

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-


-

-

-

-

-

Shape No.: 4933		Thickness: 16.5 mm					
Information:	Alpina / BMW						
Compounds:	RSL 1 RSL 29						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 4934

Thickness: 19.5 mm

Information:

BMW

Compounds:

RSC 1

RSC 2

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4935

Thickness: 19.4 mm

Information:

BMW

Compounds:

RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4936

Thickness: 16.7 mm

Information: Audi / VW

Compounds: RS 44

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4937

Thickness: 17.6 mm

Information:

Audi / Bentley / Lamborghini

Compounds:

RSC 1

189.8 mm

93 mm

Pad Depth: 69 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4938

Thickness: 17 mm

Information: Audi / Bentley


Compounds: RSC 1

131 mm

62 mm

Pad Depth: 50 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4939		Thickness: 16.2 mm					
Information:		Opel					
Compounds:		RS 44					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 4940

Thickness: 17.5 mm

Information: Fiat / Opel

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4941

Thickness: 16.2 mm

Information: Aston Martin

Compounds: RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4943

Thickness: 16 mm

Information:

Aston Martin

Compounds:

RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4945

Thickness: 18.9 mm

Information: Nissan

Compounds: RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4946

Thickness: 17.9 mm

Information: Nissan

Compounds: **RSC 1**

Technical drawing of a brake pad component. The drawing shows a rectangular shape with rounded corners and a central notch. Two circular mounting holes are located on the upper left and right sides. Dimension lines indicate a width of 132 mm and a height of 77 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5100

Thickness: 12 mm

Information: CRG/ Maranello KZ Shifter / DD2 rear axle

Compounds:

K1

K2

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 5101

Thickness: 8.6 mm

Information:

CRG KZ Shifter / DD2 front and Minikart rear

Compounds:

K1


K2


37,5 mm


48,2 mm

Pad Depth: 26 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5102		Thickness: 8.8 mm				
Information:	Tony Kart KZ Shifter / DD2 front and Minikart rear					
Compounds:	K1 K2					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5103		Thickness: 8.8 mm				
Information:		Tony Kart KZ Shifter / DD2 rear axle				
Compounds:		K1 K2				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5104		Thickness: 9.9 mm				
Information:	Kart Republic/Parolin KZ Shifter / DD2 / OK rear axle					
Compounds:	K1 K2					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5105

Thickness: 15.2 mm

Information:

Kart Republic/Parolin KZ Shifter / DD2 rear

Compounds:

K1


K2

61.75 mm

51.22 mm

Pad Depth: 27.9 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 5106		Thickness: 10 mm				
Information:	Kart Republic/Parolin KZ Shifter / DD2 front and Minikart rear					
Compounds:	K1 K2					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 6000

Thickness: 7.6 mm

Information:

Polaris UTV

Compounds:

UTV 1

UTV 2

120.4 mm

56.08 mm

Pad Depth: 29.35 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6001

Thickness: 7.6 mm

Information:

Polaris UTV

Compounds:

UTV 1

UTV 2

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6002

Thickness: 11.1 mm

Information:

Polaris UTV


Compounds:


UTV 1

UTV 2

Technical drawing of a curved, elongated shape. The drawing shows a top and bottom profile. The top profile is a smooth curve. The bottom profile has two small protrusions at the ends. Dimensions are indicated: 163.5 mm for the overall width, 50.02 mm for the overall height, and 32.25 mm for the pad depth.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6003		Thickness: 8.9 mm				
Information:	Yamaha UTV Front					
Compounds:	UTV 1 UTV 2					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6004		Thickness: 8.8 mm				
Information:	Yamaha UTV Rear					
Compounds:	UTV 1 UTV 2					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6005

Thickness: 7.8 mm

Information: BRP Can Am Maverick X3 race pad

Compounds: **UTV 1** **UTV 2**

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 6008

Thickness: 11.1 mm

Information:

UTV Upgrade Kit

Compounds:

UTV 1


UTV 2


69.64 mm


50.85 mm

Pad Depth: 36.26 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 6812USA		Thickness: 12.7 mm				
Information:		Wilwood				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 7034		Thickness: 19 mm				
Information: Hyundai						
Compounds:		RSL 2				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 7035		Thickness: 16 mm				
Information:		Hyundai				
Compounds:		RSL 2				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 7036

Thickness: 17.7 mm


Information:

Compounds:

RSL 29

RST 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8000		Thickness: 16 mm				
Information: Alcon / Brembo						
Compounds:		RS 42		RSL 29		
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST


Shape No.: 8001


Thickness: 20 mm

Information: Audi / VW

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8003		Thickness: 17.5 mm				
Information:	Porsche					
Compounds:	RSL 1 RSL 1E RSL 29					
						
Related Shape No. :	8004	-	-	-	-	-
Thickness (mm) :	19.5	-	-	-	-	-

Shape No.: 8004		Thickness: 19.5 mm				
Information:	Porsche					
Compounds:	RS 14 RSL 1 RSL 1E RSL 29 RST 3					
						
Related Shape No. :	8003	-	-	-	-	-
Thickness (mm) :	17.5	-	-	-	-	-

Shape No.: 8005

Thickness: 16.4 mm

Information:

Brembo / Ford / Lexus / Maserati / Mercedes

Compounds:

RSL 1RSL 19

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8006

Thickness: 19 mm

Information: Porsche

Compounds:

RS 14

RSC 1

RSC 3

RSL 1

RSL 29

RST 3

130.5 mm

75.5 mm

Pad Depth: 60 mm

Related Shape No. :	8008	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 8007

Thickness: 16 mm

Information: Alcon

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8008

Thickness: 17 mm

Information:

Porsche

Compounds:

RSC 1

RSL 1

RSL 29

Related Shape No. :	8006	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

Shape No.: 8009

Thickness: 15.5 mm

Information: Alcon / Porsche

Compounds: **On Inquiry**

Related Shape No. :	1203	1916	-	-	-	-
Thickness (mm) :	17.5	24	-	-	-	-


Shape No.: 8010

Thickness: 17 mm

Information: Honda (Acura)

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8011		Thickness: 16 mm					
Information:	Alcon						
Compounds:	RSC 1 RSL 29						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-


Shape No.: 8018

Thickness: 17 mm

Information: Alcon / AP Racing

Compounds: **RSL 29** **RST 3** **RST 4**


Related Shape No. :	1538	1903	8192	-	-	-
Thickness (mm) :	25	18	28.5	-	-	-


Shape No.: 8019		Thickness: 20 mm					
Information:	BMW / Jaguar						
Compounds:	On Inquiry						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8021		Thickness: 16.2 mm				
Information:	BMW					
Compounds:	RSL 1 RSL 19 RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8023		Thickness: 15.5 mm				
Information:	Alfa Romeo / Brembo / Chevrolet / Mazda / Opel / Renault					
Compounds:	RSL 1 RSL 29 RST 3					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8027		Thickness: 17.4 mm				
Information:	Mercedes					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8028

Thickness: 16 mm

Information: Alcon

Compounds: RSL 29 RST 3

Technical drawing of a brake pad (Shape No. 8028). The drawing shows a cross-section of the pad with dimensions: 152 mm width, 76 mm height, and Pad Depth: 51 mm. The pad has a central raised area and two mounting holes on the sides.

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 8029

Thickness: 16.5 mm

Information: Toyota

Compounds: On Inquiry


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8030

Thickness: 17 mm

Information: Brembo / Mitsubishi

Compounds: **RST 3** **RST 5 E**





Related Shape No. :	1616	1618	1619	1896	-	-
Thickness (mm) :	16	28	26	20	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8031		Thickness: 16 mm						
Information:		Mercedes						
Compounds:		On Inquiry						
								
Related Shape No. :	-	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-	-

Shape No.: 8032		Thickness: 17.5 mm					
Information:							
Compounds:	RSH 29E RSH 3 RSH 42						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8033

Thickness: 17.5 mm

Information:


Alcon / AP Racing / Brembo / Mitsubishi / StopTech


Compounds:

RST 1

RST 5 E

Related Shape No. :	3277	3278	3279	-	-	-
Thickness (mm) :	24	30	28	-	-	-

Shape No.: 8034		Thickness: 15.5 mm					
Information:	PFC Formula 3						
Compounds:	On Inquiry						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8035				Thickness: 16.5 mm			
Information:		BMW					
Compounds:		RS 44 RSL 1 RSL 29					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8037

Thickness: 22 mm

Information:

Alcon / Brembo / Porsche

Compounds:

On Inquiry

Related Shape No. :	1595	1607	1674	2704	8191	8267
Thickness (mm) :	16	20	25	26.5	29	18

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8038

Thickness: 22 mm

Information:

Brembo / Porsche

Compounds:

RST 2E

Related Shape No. :	2488	2687	8087	8173	-	-
Thickness (mm) :	29	20	25	31	-	-

Shape No.: 8039

Thickness: 16.8 mm

Information:

Audi / Bentley

Compounds:

RSC 1

RSL 19

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8040

Thickness: 16 mm


Information:


Compounds:

RSH 3

RSH 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8041		Thickness: 15.5 mm					
Information:							
Compounds:		RSH 29E RSH 42					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8042		Thickness: 16 mm					
Information:							
Compounds:		RSH 29E RSH 42					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8043

Thickness: 18 mm

Information: Alcon

Compounds: **On Inquiry**

172.4 mm

100 mm

Pad Depth: 66 mm

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 8044


Thickness: 18 mm

Information: AP Racing / Brembo

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8045		Thickness: 25 mm				
Information:	Alcon					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8046		Thickness: 17.2 mm				
Information:	Audi / VW					
Compounds:	RSL 19					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8049

Thickness: 16 mm

Information: Brembo

Compounds:

RS 34

RS 36

RS 42

RSL 1

RSL 19


RSL 29

RST 1

RST 2

RST 3

RST 4



Related Shape No. :

8217

-

-

-

-

-

Thickness (mm) :

17

-

-

-

-

-

Shape No.: 8049U

Thickness: 16 mm

Information: 8049 with leight weight back plate / direction bounded

Compounds: **RS 34**

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8050

Thickness: 15 mm

Information: Alcon

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8051

Thickness: 17.3 mm


Information: BMW

Compounds: RSL 19

Technical drawing of a wide, shallow pad with a central V-shaped groove. The drawing includes the following dimensions and features:

- Width:** 123 mm (indicated by a horizontal dimension line at the top).
- Height:** 58 mm (indicated by a vertical dimension line on the right side).
- Pad Depth:** 55 mm (indicated by text inside the central V-shaped area).
- Top Feature:** A note with an arrow pointing to the top edge reads "with or without top 'hammer-head'".
- Material:** RSL 19 (indicated in a yellow box).
- Information:** BMW (indicated in the top right).
- Shape No.:** 8051 (indicated in the top left).

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8053		Thickness: 20.3 mm				
Information:		BMW				
Compounds:		RSL 1 RSL 19				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8055

Thickness: 17.5 mm

Information:

Compounds: RSH 42

61.8 mm

55 mm

Pad Depth: 40 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8056

Thickness: 17 mm

Information:

Compounds: RSH 29E

Technical drawing of Shape No. 8056. The drawing shows a rectangular pad with a central circular hole. The width of the pad is dimensioned as 50.3 mm. The height of the pad is dimensioned as 62 mm. The hole is located in the upper portion of the pad, centered horizontally. The top edge of the pad is slightly curved, and the bottom edge is also slightly curved. The hole is represented by a small circle with a dot in the center.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8057

Thickness: 14 mm

Information:

Compounds: **RSH 3**


157.8 mm

77 mm

Pad Depth: 49 mm

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 8058		Thickness: 22 mm				
Information:		Set of 8 pcs				
Compounds:		RSH 3				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST


More applications and compounds on inquiry

Shape No.: 8059


Thickness: 25 mm


Information:

Compounds: RSH 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8060		Thickness: 16 mm				
Information:		AP Racing				
Compounds:		RS 34	RS 36	RS 42	RSL 19	RSL 29
		RST 2	RST 4			
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8060U		Thickness: 16 mm				
Information:		8060 with leight weight back plate / direction bounded				
Compounds:		RS 34				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8061

Thickness: 16.8 mm

Information:

Brembo

Compounds:

RSC 1

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8062

Thickness: 16.8 mm

Information: Brembo

Compounds: **RSL 1** **RSL 29**

189,6 mm

87 mm

Ped Depth: 57,5 mm

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 8064

Thickness: 19.5 mm

Information: Audi / Mazda / Seat / Skoda / VW

Compounds: **On Inquiry**

Technical drawing of Shape No. 8064, showing two views of a trapezoidal pad. The top view shows a width of 196.3 mm and a height of 73 mm. The bottom view shows a width of 155.1 mm and a height of 73 mm. Both views indicate a 'Pad Depth: 62 mm'.

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-


-

-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8067				Thickness: 15 mm			
Information:							
Compounds:				On Inquiry			
							

Shape No.: 8068


Thickness: 15 mm


Information:

Compounds: **On Inquiry**

Technical drawing of Shape No. 8068. The drawing shows a rectangular pad with a central slot. The overall width is 83,9 mm and the overall height is 55 mm. The pad has rounded corners and a central vertical slot. There are two small circular features on the top edge, one on each side of the central slot.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8069				Thickness: 17 mm			
Information: Brembo / Mitsubishi / VW							
Compounds: On Inquiry							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8070				Thickness: 17 mm			
Information:		Comes w.o. back plate slot					
Compounds:		RSH 29E					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8071

Thickness: 17 mm

Information:

Comes w.o. back plate slot

Compounds:

RSH 29E

Technical drawing of a square component. The width is labeled as 58,8 mm and the height is labeled as 60,5 mm. The drawing shows a square with rounded corners and a double-line border.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8074

Thickness: 18.5 mm

Information: Porsche

Compounds: **RSL 1** **RSL 29**

Technical drawing of Shape No. 8074, a rectangular pad with rounded corners and a central slot. The drawing shows the top view with dimensions: 200 mm width, 74 mm height, and a central slot. The text "Pad Depth: 60 mm" is written inside the pad.

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8076

Thickness: 14.4 mm


Information:

AP Racing

Compounds:

RS 14

Related Shape No. :	4349	-	-	-	-	-
Thickness (mm) :	16	-	-	-	-	-

Shape No.: 8077		Thickness: 13.1 mm					
Information:	Mazda						
Compounds:	RS 44 RSL 29						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-


Shape No.: 8078

Thickness: 16 mm

Information: Caparo AP

Compounds: RS 42

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8081		Thickness: 17 mm					
Information:	Aston Martin / Audi / Brembo / Cadillac / Chevrolet / Mercedes / Nissan						
Compounds:	RSC 1 RSL 1 RSL 29						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8082

Thickness: 15 mm

Information: Mazda

Compounds: **RSL 29** **RST 3**

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8083

Thickness: 17 mm

Information: Brembo / Ferrari

Compounds:

RSC 1

RSL 1

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST


Shape No.: 8084

Thickness: 16.7 mm

Information: BMW

Compounds: RSL 1 RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8085		Thickness: 17 mm				
Information:		BMW				
Compounds:		RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8086

Thickness: 18 mm

Information:

Compounds: RSH 29E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8087			Thickness: 25 mm						
Information:			Aston Martin / Audi / Brembo / Chevrolet / Lamborghini / Ligier						
Compounds:			RSL 1	RSL 29	RST 1	RST 2E	RST 3	RST 5 E	RSX
									
Related Shape No. :	2488	2687	8038	8173	-	-			
Thickness (mm) :	29	20	22	31	-	-			

Shape No.: 8088

Thickness: 18 mm

Information: Mercedes

Compounds: RSC 1 RSC 3

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8089

Thickness: 15.7 mm

Information: Mercedes

Compounds: RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry


Shape No.: 8090


Thickness: 22 mm


Information: Alcon / AP Racing / Brembo


Compounds: **On Inquiry**

Related Shape No. :	1842	1908	-	-	-	-
Thickness (mm) :	18	24	-	-	-	-

Shape No.: 8091		Thickness: 16 mm				
Information:	Brembo / Chevrolet / Ferrari / McLaren					
Compounds:	RSC 1 RSC 2 RSC 3 RSL 19					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8092		Thickness: 29 mm				
Information:	Alpina / PFC					
Compounds:	RSL 1					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8093		Thickness: 28.5 mm				
Information:	Alpina / Ginetta / PFC					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8094		Thickness: 19 mm				
Information:	Mercedes					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8096

Thickness: 18.5 mm

Information: Audi / Ford

Compounds: **RSL 19**

Technical drawing of a brake pad. The drawing shows the pad's profile with the following dimensions:

- Overall width: 188 mm
- Overall height: 73,5 mm
- Pad Depth: 60 mm
- Height of the lower friction surface: 32,7 mm


Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---


Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


More applications and compounds on inquiry


SHAPE LIST


Shape No.: 8100		Thickness: 29 mm					
Information:		Alcon / Audi / Brembo / Ferrari					
Compounds:		RSL 1	RSL 1E	RSL 2	RSL 29	RSL 2E	
		RST 1	RST 2	RST 2E	RSX		
							
Related Shape No. :		8101	8102	8103	8194	-	-
Thickness (mm) :		25	21	31	26	-	-

Shape No.: 8101		Thickness: 25 mm					
Information:		Brembo / Ferrari / Lamborghini / Mercedes					
Compounds:		RSL 1	RSL 1E	RSL 2E	RST 1	RST 2E	
		RST 5 E	RSX				
							
Related Shape No. :		8100	8102	8103	8194	-	-
Thickness (mm) :		29	21	31	26	-	-

Shape No.: 8102		Thickness: 21 mm					
Information:		Brembo					
Compounds:		On Inquiry					
							
Related Shape No. :		8100	8101	8103	8194	-	-
Thickness (mm) :		29	25	31	26	-	-

Shape No.: 8103		Thickness: 31 mm					
Information:		Brembo					
Compounds:		RSL 2E	RST 2E				
							
Related Shape No. :		8100	8101	8102	8194	-	-
Thickness (mm) :		29	25	21	26	-	-


Shape No.: 8113USA		Thickness: 17 mm					
Information:		Ford Mustang rear					
Compounds:		RSL 29	RST 4				
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-


Shape No.: 8127USA		Thickness: 14 mm					
Information:		Mazda Miata front					
Compounds:		RSL 29	RST 3				
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-


Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.


SHAPE LIST


More applications and compounds on inquiry


Shape No.: 8129USA		Thickness: 12.5 mm					
Information:		Mazda Miata rear					
Compounds:		RSL 29 RST 4					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8173		Thickness: 31 mm					
Information:		Brembo					
Compounds:		On Inquiry					
							
Related Shape No. :		2488	2687	8038	8087	-	-
Thickness (mm) :		29	20	22	25	-	-

Shape No.: 8174		Thickness: 17 mm					
Information:		Subaru / Toyota					
Compounds:		On Inquiry					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8175		Thickness: 16 mm					
Information:		Toyota					
Compounds:		On Inquiry					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8185		Thickness: 15.2 mm					
Information:		Opel					
Compounds:		On Inquiry					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Shape No.: 8187		Thickness: 16.8 mm					
Information:		McLaren					
Compounds:		RSC 1					
							
Related Shape No. :		-	-	-	-	-	-
Thickness (mm) :		-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST


Shape No.: 8188


Thickness: 16.5 mm

Information: Mercedes

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8189		Thickness: 18.8 mm					
Information:		Mercedes					
Compounds:		RSL 29					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8191		Thickness: 29 mm					
Information:		Brembo					
Compounds:		On Inquiry					
							
Related Shape No. :	1595	1607	1674	2704	8037	-	
Thickness (mm) :	16	20	25	26.5	22	-	

Shape No.: 8192

Thickness: 28.5 mm

Information: AP Racing

Compounds: On Inquiry

Related Shape No. :	1538	1903	8018	-	-	-
Thickness (mm) :	25	18	17	-	-	-


Shape No.: 8193

Thickness: 22 mm

Information: AP Racing / Brembo

Compounds: On Inquiry

Related Shape No. :	1283	1705	-	-	-	-
Thickness (mm) :	20	16	-	-	-	-

Shape No.: 8194		Thickness: 26 mm					
Information:		Brembo					
Compounds:		On Inquiry					
							
Related Shape No. :	8100	8101	8102	8103	-	-	-
Thickness (mm) :	29	25	21	31	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8195


Thickness: 17 mm


Information: Wilwood


Compounds: **On Inquiry**

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 8197		Thickness: 27 mm				
Information:	BMW / PFC					
Compounds:	RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8200		Thickness: 18.2 mm				
Information:	Alpina					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8201		Thickness: 19.5 mm				
Information:	Audi / VW					
Compounds:	RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8203

Thickness: 15.5 mm

Information: 2015 Mustang Performance Package

Compounds: **On Inquiry**

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8204

Thickness: 17.5 mm

Information:

2015 Mustang rear

Compounds:

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8208

Thickness: 16 mm


Information:


Corvette & Mustang rear


Compounds:


RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8212		Thickness: 19 mm				
Information:	Citroen					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8214		Thickness: 16.7 mm				
Information:	AP Racing / Lotus					
Compounds:	RSL 29					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8216		Thickness: 18 mm				
Information:	AP Racing					
Compounds:	RSL 2					
						
Related Shape No. :	2126	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 8217		Thickness: 17 mm				
Information:	Brembo					
Compounds:	On Inquiry					
						
Related Shape No. :	8049	-	-	-	-	-
Thickness (mm) :	16	-	-	-	-	-

Shape No.: 8222

Thickness: 25 mm

Information:

AP Racing / KTM

Compounds:

RSL 1

RSL 1E

RSL 2

RSL 29

RSL 2E

RST 1

RST 2E

Related Shape No. :	2557	-	-	-	-	-
Thickness (mm) :	29	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8233

Thickness: 25 mm

Information:


AP / Norma LMP3

Compounds:

RSL 2

RST 1

RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8234

Thickness: 15 mm

Information:

Mitsubishi

Compounds:

On Inquiry

Related Shape No. :	1538	1903	8018	8192	-	-
Thickness (mm) :	25	18	17	28.5	-	-


Shape No.: 8235

Thickness: 16.6 mm

Information: Porsche

Compounds: RSL 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8236		Thickness: 18.5 mm				
Information:	Porsche					
Compounds:	On Inquiry					
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8237

Thickness: 17 mm

Information: AP Racing

Compounds: **RSL 1** **RSL 2** **RST 3**

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8238

Thickness: 16.9 mm

Information: Front axle AMG GT / GTS

Compounds: **RSL 29**

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8239


Thickness: 17 mm


Information: Ford Front


Compounds: **RSL 29**

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 8240USA rear		Thickness: 14.5 mm					
Information:	Corvette C6 Z06 / Corvette C6 Grand Sport / rear multi pad system 8 pcs						
Compounds:	RSL 29						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8240USA front		Thickness: 14.5 mm					
Information:	Corvette C6 Z06 / Corvette C6 Grand Sport / front multi pad system 12pcs						
Compounds:	RSL 29						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8241		Thickness: 30 mm					
Information:	Porsche						
Compounds:	On Inquiry						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8242

Thickness: 31.2 mm

Information: Porsche

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8245

Thickness: 25 mm

Information: Alcon / AP Racing

Compounds: **On Inquiry**

152 mm

68.4 mm

Pad Depth: 54 mm

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8246

Thickness: 18.8 mm

Information:

Rear axle AMG GT / GTS / GTR

Compounds:

RSC 1

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8250

Thickness: 28.5 mm

Information: Alcon / AP Racing

Compounds:


RSL 1


RSL 1E

RST 2E

RSX

Related Shape No. :	1539	1904	-	-	-	-
Thickness (mm) :	25	18	-	-	-	-

Shape No.: 8251		Thickness: 18 mm				
Information: PFC						
Compounds:		RSL 1 RSL 29				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8253		Thickness: 16 mm				
Information:		Dodge Viper / Camaro ZL1				
Compounds:		On Inquiry				
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8257

Thickness: 16 mm

Information: AMG GTS (disc 360mm) Akebono caliper

Compounds: **RSL 29**

206 mm

Pad Depth: 68 mm

87 mm

Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Shape No.: 8258

Thickness: 16 mm

Information: AP Racing

Compounds: **RSL 1** **RST 3**

175,4 mm

100 mm

Pad Depth: 69 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8261

Thickness: 25 mm


Information:

AP Racing / McLaren

Compounds:

RSL 2

Related Shape No. :	4346	-	-	-	-	-
Thickness (mm) :	16.7	-	-	-	-	-

Shape No.: 8262		Thickness: 15.5 mm					
Information:	Fiesta VII ST						
Compounds:	On Inquiry						
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8264

Thickness: 14.5 mm

Information: Ford Fiesta VII ST

Compounds: **On Inquiry**

Technical drawing of Shape No. 8264, showing two views of a racing pad. The top view shows a width of 123 mm and a height of 42.44 mm. The bottom view shows a width of 123 mm and a height of 46.23 mm. The pad depth is 35.1 mm.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8267

Thickness: 18 mm

Information: Alcon

Compounds: RST 1 RST 3

Related Shape No. :	1595	1607	1674	2704	8037	8191
Thickness (mm) :	16	20	25	26.5	22	29

Shape No.: 8268USA

Thickness: 25 mm

Information: Alcon

Compounds: On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8269

Thickness: 15.6 mm

Information: McLaren 720S

Compounds: **RSC 1**

169.1 mm

100.2 mm

Pad Depth:
80 mm


Related Shape No. :	-	-	-	-	-	-
---------------------	---	---	---	---	---	---

Thickness (mm) :	-	-	-	-	-	-
------------------	---	---	---	---	---	---

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8270		Thickness: 15.8 mm					
Information:		McLaren 720S					
Compounds:		RSC 1					
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8275

Thickness: 20 mm

Information:

Front axle for: BMW 3 series [G20 / G21]: M340i / M340d / 320i - 330i M-Technik / 330e M-Technik / 316d - 330d M-Technik BMW 4 series Coupe [G22 / G23 / G82]: M440i / M440d / 420i - 430i M-Technik / 420d - 430d M-Technik BMW Z4 Roadster [G29]: M40i / sDrive 20i - sDrive 30i M-Technik Toyota GR Supra

Compounds:

RSC 1

RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8276

Thickness: 16 mm

Information:

Rear axle for: BMW 3 series [G20 / G21]: M340i / M340d / 320i - 330i M-Technik / 330e M-Technik / 316d - 330d M-Technik BMW 4 series Coupe [G22 / G23 / G82]: M440i / M440d / 420i - 430i M-Technik / 420d - 430d M-Technik BMW Z4 Roadster [G29]: M40i / sDrive 20i - sDrive 30i M-Technik Toyota GR Supra

Compounds:

RSL 29

Technical drawing of a brake pad. The drawing shows a cross-section of the pad with a central mounting tab. Dimensions are indicated: a total width of 110.5 mm, a height of 73.21 mm, and a central 'Pad Depth' of 64 mm.

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Shape No.: 8278

Thickness: 15.5 mm

Information:

Application: Corvette C8 Z51 / Front Axle

Compounds:

On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8279

Thickness: 15.3 mm

Information:

Application: Corvette C8 Z51 / Rear Axle

Compounds:

On Inquiry

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8283

Thickness: 15.6 mm

Information: Scalloped Version of 8269

Compounds: **On Inquiry**

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8284

Thickness: 15.8 mm

Information:

McLaren 720S / 600LT PAGID RBD2.0 Upgrade Kit / Rear Axle

Compounds:

On Inquiry

125.85 mm

90.1 mm

Pad Depth: 60 mm

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8286

Thickness: 18 mm

Information:

992 Turbo Front PCCB

Compounds:

RSC 1

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8287

Thickness: 22 mm

Information: Porsche

Compounds:

RSL 19

RST D1


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8288

Thickness: 20.4 mm

Information:

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8292

Thickness: 18.4 mm

Information:

Compounds:

RSC 1

184,6

106,1

Pad Depth: 87,4 mm

Related Shape No. :

8288

-

-

-

-

-

Thickness (mm) :

20,4

-

-

-

-

-

Shape No.: 8295

Thickness: 16.9 mm

Information: Akebono 10 Piston Caliper

Compounds: **RSC 1**

Technical drawing of a brake pad. The drawing shows the pad's profile with dimensions: a width of 211.9 mm, a height of 106.4 mm, and a pad depth of 98 mm. The pad has a complex shape with a central recessed area and a small square feature on the right side.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST

More applications and compounds on inquiry

Shape No.: 8299

Thickness: 16 mm

Information: Toyota

Compounds:

RSL 29

RST 3

RST 5E

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8300

Thickness: 16 mm

Information: Toyota

Compounds:

RSL 29

RST 3

RST 5E

Technical drawing of a brake pad. The drawing shows a rectangular shape with a central rectangular area labeled "Pad Depth: 46.7 mm". The overall width is indicated as 75 mm and the overall height as 66.6 mm. There are two small square features on the top edge, one on each side of the central area.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-


Shape No.: 8302

Thickness: 20.15 mm

Information: BMW M Front

Compounds: RSL 29

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8306		Thickness: 18 mm					
Information:							
Compounds:							
							
Related Shape No. :	-	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-	-

Shape No.: 8306

Thickness: 18 mm

Information:

Compounds:

151.9 mm

Pad Depth: 51 mm

63 mm

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-

-

-

-

-

-

Shape No.: 8306

Thickness: 18 mm

Information:


Compounds:


Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

More applications and compounds on inquiry

SHAPE LIST

Shape No.: 8306		Thickness: 18 mm				
Information:						
Compounds:						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8306		Thickness: 18 mm				
Information:						
Compounds:						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8306

Thickness: 18 mm

Information:

Compounds:

Technical drawing of a curved pad. The drawing shows a cross-section of the pad, which is curved upwards. The overall width is indicated by a dimension line at the top, labeled 151.9 mm. The overall height is indicated by a dimension line on the right, labeled 63 mm. The central part of the pad is divided into three sections by two vertical lines. The middle section is labeled "Pad Depth: 51 mm". The pad has a slightly flared bottom edge.

Related Shape No. :

-

-

-

-

-

-

Thickness (mm) :

-


-

-

-

-

-

Shape No.: 8306		Thickness: 18 mm				
Information:						
Compounds:						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8306

Thickness: 18 mm

Information:

Compounds:

Technical drawing of a curved pad. The drawing shows a cross-section of the pad, which is curved upwards. The overall width is 151.9 mm, indicated by a dimension line at the top. The overall height is 63 mm, indicated by a dimension line on the right. The pad depth is 51 mm, indicated by a dimension line in the center. The drawing includes a top view and a side view, showing the curved profile of the pad.

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8306

Thickness: 18 mm

Information:

Compounds:

Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Illustrations are for identification purpose only. The right of modification in construction, design or model application is reserved. Even if shown in the drawing, accessories such as clips, springs, rivets, wear indicators, damping shims etc. are generally not part of PAGID Racing pads.

SHAPE LIST


More applications and compounds on inquiry

Shape No.: 8306


Thickness: 18 mm

Information:

Compounds:



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8306		Thickness: 18 mm				
Information:						
Compounds:						
						
Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

**ENGINEERED
FOR RACE
DRIVERS.
MADE FOR
CHAMPIONS.**





Get in touch with us

📷 [instagram.com/pagidracing](https://www.instagram.com/pagidracing)

📘 [facebook.com/PagidRacing](https://www.facebook.com/PagidRacing)

🌐 [pagidracing.com](https://www.pagidracing.com)

Europe

TMD Friction Holdings GmbH

Lueschershofstrasse 80

45356 Essen

Germany

USA

TMD Friction Inc.

1035 Crooks Road

Troy, MI 48084

United States